

Pareto Front Based Design of Controllers for the Automotive SCR Catalyst

Andreas Åberg*, Anders Widd**, Jens Abildskov*, Jakob Kjøbsted Huusom*

* CAPEC-PROCESS Research Centre, Department of Chemical and Biochemical Engineering, Technical University of Denmark, Søltofts Plads, Building 229, DK-2800 Kgs. Lyngby, Denmark

** Haldor Topsøe A/S, Haldor Topsøes Allé 1, 2800 Kgs. Lyngby, Denmark

Abstract

Diesel engine exhaust gases contain amongst other things nitrous gases such as NO and NO₂ (together abbreviated NO_x). Reducing the amount of these gases is of great importance due to new legislation, and because of their effect on urban air quality [1]. A promising and widely used technology for this is based on selective catalytic reduction (SCR) of the gases, with ammonia (hydrolyzed Urea) as a reducing agent [2, 3]. Challenges with this technology include dosing the right amount of urea to reach maximum NO_x conversion, while simultaneously keeping NH₃ slip below legislation. This requires efficient dosing algorithms, and to this end, model based control is a promising strategy. Due to the fundamental properties of the SCR catalyst, selection of a controller is often a trade-off between NO_x slip and NH₃ slip, and because of this, getting an objective function that describes the required properties of a controller can be difficult and time consuming. Using pareto fronts to graphically analyse the best possible trade-off between NO_x slip and NH₃ slip for different control structures can help towards developing an objective function that well describes current legislation.

A previously developed high-fidelity model [4, 5] has been used to simulate a broad variety of control structures. In Figure 1, pareto fronts can be seen where the simulated controller is a proportional feedback controller with different amounts of pre-dosed ammonia based on the inlet NO_x measurement. ANF = 1 corresponds to the case where the same amount of NH₃ is pre-dosed as there is NO_x in the inlet. Based on the control structure, it is possible to shift the pareto front in the desired direction. These results will be used to develop an objective function that well describes the desired trade-off between NO_x slip and NH₃ slip.




Figure 1. Pareto fronts for P controllers with varying feed forward controllers based on Ammonia to NO_x ratios (ANF).

References

- [1] R. M. Heck, R. J. Farrauto, Automotive exhaust catalysis, Appl. Catal. A 221 (2001).
- [2] M. Koebel, M. Elsener, M. Kleeman, Urea-SCR: a promising technique to reduce NO_x emissions from automotive diesel engines, Catal. Today 59 (2000).
- [3] I. E. Wachs, G. Deo, B. M. Wechhuysen, A. Andreini, M. A. Vuurman, M. de Boer, M. D. Amiridis, Selective Catalytic Reduction of NO with NH₃ over Supported Vanadia Catalysts, J. Catal 161 (1996).
- [4] A. Åberg, A. Widd, J. Abildskov, J. K. Huusom, Estimation of Kinetic Parameters in an Automotive SCR Catalyst Model, Top. Catal., 2016, doi: 10.1007/s11244-016-0573-3
- [5] A. Åberg, A. Widd, J. Abildskov, J. K. Huusom, Parameter Estimation and Analysis of an Heavy-duty SCR Catalyst Model, Submitted to Chem. Eng. Sci.