

INDEX

- A (area), 132
- a (activity), 386
- a (annum) (1 a = 1 y), 8
- Å (Ångström), 9
- absolute enthalpy, 105, 364
- absolute pressure, 11
- absolute temperature (T), 10
- absorber, 21
- absorption, 21
- acceleration of gravity (g), 2
- acentric factor, 340
- acre-foot (Sigurd's favorite unit ☺), 9
- acrylonitrile, 81, 87
- activation energy (E), 256, 259
- activity (a), 386
- activity coefficient (γ), 188, 387
- adiabatic, 19
- adiabatic expansion, 350
 - derivation pV^γ , 350
 - irreversible (isenthalpic), 171
 - reversible (isentropic), 170
- adiabatic process, 170
- adiabatic temperature change, 112, 120
- air, data, 16
- airplane wing, 241
- algebraic equation, 316
- ammonia, 417
 - chemical equilibrium, 176
 - combustion, 412
 - compression, 159
 - data, 416
 - flash, 194
 - Henry's law, 187
 - kinetics, 258, 259
 - refrigerant, 208
 - synthesis gas, 94
 - thermodynamic diagram, 419
- ammonia plant
 - heat recovery, 229
- analysis, 75
- Antoine parameters (data), 190
- Antoine's equation, 181
- API gravity, 13
- Arrhenius equation, 256, 276
- atm (1 atm = 1.01325 bar), 11, 16
- atmospheric pressure, 11
- atom matrix (A), 89, 329
- atomic balance, 41, 86, 329
- atomic mass (weight), 327
- auditorium
 - balance, 40
 - entropy, 371
- autocatalysis, 260
- automatic control, 322
- availability, *see* exergy
- Avogadro's law, 334
- Avogadro's number (N_A), 327
- axiom, 347
- azeotrope, 183
- B (exergy), 213
- balance
 - degrees of freedom, 66
 - dynamic, 273–325
 - no accumulation, 43
 - over time period, 42
 - per unit of time, 42
 - procedure for, 67
 - solvability, 66
 - quick analysis, 70
 - steady-state process, 43
 - with reaction, 77
- balance equation, 66
 - dynamic, 274
 - general form, 42
- balancing chemical reactions, 328
- bank account, 40
- bar, 11
- barometric formula, 331
 - temperature change, 352
- basis, 66, 67
 - smart, 48
- batch distillation, 396
- batch process, 20, 27¹
 - energy balance, 102
 - recycle, 64
 - typical batch size, 28
- batch reactor, 78, 262

¹ Page numbers in *italic* refer to definitions.

- bathtub, dynamics, 296
 - battery, 213
 - bbl (barrel), 9
 - BCFD (billion cubic feet per day), 15
 - Bernoulli's equation, 240–251
 - biology, 266
 - bioproteins, 86
 - blending
 - linear mixing rule, 50
 - blower, 24
 - boiler, 21
 - boiling point (T_b), 16, 378
 - elevation, 184
 - pressure variation, 331
 - boundary, 19
 - Boyle's law, 334
 - BPD (barrels per day), 15
 - Btu (British thermal unit), 12
 - bubble point
 - df, 190
 - butane
 - i-butane (refrigerant R600a), 209
 - n-butane, thermodynamic diagram, 415
 - bypass, 300

 - $^{\circ}\text{C}$ (degrees Celsius), 10
 - C_v (valve coefficient), 26
 - C_p, C_v , *see* heat capacity
 - calcium chloride, heat of mixing, 113
 - calorie, 16
 - calorie (cal), 11
 - calorimetry, 347
 - canonical variable, 332, 389
 - carbon, 327
 - carbon dioxide, *see* CO_2
 - Carnot cycle, 373
 - Carnot efficiency, *see* Carnot factor
 - Carnot factor, 200, 211, 375
 - log mean, 201, 233
 - steam turbine process, 233
 - catalysis, 259
 - car, 259
 - Celsius ($^{\circ}\text{C}$), 10
 - centrifuge, 26
 - Charles' law, 334
 - chemical bonding energy, 345
 - chemical equilibrium, 174, 179, 385
 - ammonia synthesis, 176
 - methanol reactor, 92
 - reaction kinetics, 258
 - chemical potential (μ), 385, 390
 - VLE, 180, 182
 - chemical reaction, 77
 - balancing, 328
 - energy balance, 118
 - dynamic, 281
 - choke
 - flow measurement, 242
 - valve, 26
 - choke valve, 114
 - Clapeyron, 180, 343
 - Clausius-Clapeyron, 181
 - closed system, 346, 377
 - energy balance, 101
 - CO
 - combustion, 389
 - CO_2
 - combustion, 389
 - contents in air, 16
 - data, 416
 - refrigerant, 208, 209
 - solubility in water, 186
 - sublimation, 416
 - thermodynamic diagram, 415
 - coal, 17
 - coalesce, 21
 - cocurrent flow, 133
 - coefficient of performance (COP), 204
 - cogeneration, *see* combined cycle
 - cold reservoir, 199
 - colligative property, 185
 - column
 - section, 21
 - combined cycle, 203, 226
 - combustion, 119, 226, 229, 412
 - ammonia, 412
 - engine, 203
 - equilibrium between CO and CO_2 , 389
 - combustion gas turbine, 203
 - component balance, 48
 - concentration
 - dynamic, 277
 - with reaction, 78
 - dynamic, 276
 - compressibility factor (z), 337
 - generalized diagram, 336
 - compressible flow in pipe, 247
 - compression, 144
 - intermediate cooling, 151, 152
 - isentropic, 157
 - isothermal, 152, 156
 - real gas, 155, 156
 - work, 144
- compression ratio, 153
- compressor, 22, 70
- condensation, 333, 358
- condenser, 22, 23
- conservation law, 40
- conservation principle
 - energy, 40
 - mass, 40
 - momentum, 40

- conserved quantity, 40
 - balance equation, 43
- constitutive equation, 20
- continuity equation, 126, 240
- continuous process, 28
 - reactor, 79
 - steady-state, 43
 - typical production rates, 28
- continuous stirred tank
 - concentration response, 289
 - temperature response, 290
 - with heat exchange, 291
- continuous stirred tank reactor (CSTR), *see* reactor
- control, 322
- control valve, 26
- control volume, 19, 67, 76
- conversion (X), 79, 80
 - total, 85
- conversion factors, 8–15
 - exercises, 31
- cooking plate, dynamics, 293
- cooling process
 - minimum work, 219
- countercurrent flow, 133
- countercurrent flow principle, 47, 130
- critical compressibility (z_c), 337
- critical data (T_c, p_c), 416
- critical point, 180, 333, 337, 339
- critical pressure (p_c), 180, 333, 337, 339, 342
- critical pressure ratio, 128
- critical temperature (T_c), 180, 186, 333, 337, 339, 342
- critical volume (V_c), 339
- crude oil
 - classification, 13
 - density (API gravity), 13
 - heating value, 12, 363
 - price, 31
- crystallization, 62
- crystallizer, 22
- CSTR, *see* reactor
- cubic equation of state, 338
- cyclic process, 198, 373
 - Carnot cycle, 373
 - Diesel cycle, 203
 - Otto cycle, 203
 - Rankine cycle, 203
 - Rankine refrigeration cycle, 206
- cyclone, 22
- d (day), 8
- DAE system, 279, 283, 316
- Dalton's law, 335
- data, 415
 - air, 16, 296
 - ammonia, pH -diagram, 419
 - Antoine parameters, 190
 - data for some gases, 416
 - heat capacity
 - gases, 422
 - liquids, 421
 - heat of mixing, 417
 - Henry's constant, 186
 - hydrocarbons, 17
 - methane, pH -diagram, 418
 - water, 16, 296
 - HS -diagram, 420
- decanter, 22
- degrees of freedom, 66
 - equation counting, 68
 - quick analysis, 69, 70
- delay (θ), 286
- demister, 22
- density (ρ), 5, 13
- deposition, 358
- design, 75
 - heat exchanger, 131
 - versus simulation, 139
- deviation variables, 289
- dew point, 191
- dialysis, 44
- Diesel cycle, 203
- differential equation, 273
- differential-algebraic equation (DAE) set, 316
- distillation, 22, 223
 - batch, 396
 - continuous, dynamics, 313
 - entropy, 168
 - side stream, 51
- dot notation (\dot{X}), 5, 274
- dry basis, 16, 362
- dryer, 23
- dynamic flash, 316
- dynamic model, 273
- dynamic pressure, 240
- dynamics, 273–325
 - distillation, 313
 - gas tank, 393
 - process, 21
 - simulation, 303–325
 - Euler integration, 303
- E , *see* energy
- E (exa), 2
- economy, 29
- efficiency (η), 22, 26, 209
 - Carnot, 200, 211
 - compression, 144
 - energy, 210
 - exergy, 211, 215

- heat exchanger, 140
- solar cell, 33
- thermal, 210
- thermodynamic, 209
- turbine, 145
- Einstein, 41, 97
- electric energy, 345
- electrochemical work, 98, 344
- elementary kinetics, 256
- elementary reaction, 257
- end time (t_f), 76
- endothermic, 360
- energy, 344
 - chemical, 345
 - conversion factor, 11
 - electric, 345
 - fun exercises, 31
 - global consumption, 37
 - internal (U), *see* internal energy
 - kinetic, 344
 - latent, 345
 - potential, 345
 - pressure correction, 365
 - rotation, 345
 - sensitive, 365
 - surface, 345
 - thermal, 345, 365
 - total, 345
- energy balance, 95–128
 - dynamic, 277–283
 - enthalpy, 100
 - enthalpy balance, 102
 - gas tank, 393
 - general form, 100
 - isenthalpic, 114
 - mechanical, 237–251
 - reaction, 118
 - reading rule, 102
 - steady state, 102, 126
 - with kinetic and potential energy, 125
- energy efficiency, 210
- energy forms, 96
- engine
 - gasoline, 203
- enthalpy (H), 99, 105, 348, 354, 357
 - absolute, 105, 364
 - constant pressure, 348
 - continuous process, 99
 - dynamic energy balance, 278
 - heat of reaction, 360
 - ideal mixture, 355
 - of reaction, 360
 - pressure dependency, 356
 - Joule's experiment, 353
 - pressure relief valve, 172
 - reference state, 364, 365
 - subprocesses, 106, 122
 - temperature independency, 355
 - thermochemistry, 357
 - vaporization, 358
- enthalpy of formation ($\Delta_f H^\ominus$), 219, 360, 364, 416
 - data, 416
 - from heat of combustion, 363
- enthalpy-entropy (HS) diagram, 156
 - water, 420
- entropy (S), 156, 161–179, 371
 - calculation of, 163, 173, 377
 - disorder, 369
 - friction, 249
 - heat exchanger, 167
 - ideal mixture, 165, 381
 - maximum (equilibrium), 384
 - phase transition, 378
 - state function, 375
- enzyme, 260
- equation of state, 20, 334–343
 - entropy, 167
 - ideal gas, 334
 - Peng-Robinson (PR), 340
 - Soave-Redlich-Kwong (SRK), 340
 - van der Waals, 337
- equilibrium, 173, 179, 383
 - chemical, 174, 385
 - Gibbs energy, 384
 - temperature, 384
 - vapor/liquid, 179
- equilibrium constant (K), 386
 - temperature dependency, 388
- equivalent work, 215
- ethane, 83, 341
 - data, 416
 - thermodynamic diagram, 415
- ethylene
 - thermodynamic diagram, 415
- Euler integration, 304
 - algorithm, 304
 - MATLAB, 306, 307
 - mixing tank, 304
- evaporation, 358
 - dynamic energy balance, 280
- evaporator, 24
 - energy balance, 280
 - temperature response, 299
- Excel introduction, 59
- exergy, 213
- exothermic, 360
- expansion, 144
 - closed system, 351
 - isentropic, 157
 - isothermal, 156
 - real gas, 118, 156

- expansion machine, 25
- expansion work, 145
- extensive variable, 3, 20
- extent of reaction (ξ)
 - methanol reactor, 92
- extent of reaction (ξ), 79
- extraction, 24

- Fahrenheit ($^{\circ}\text{F}$), 10
- fan, 24
 - typical power, 13
- feedback control, 322
- Fick's law, 47
- filtration, 24
- first law of thermodynamics, 161
- fittings, 24
- flash, 24, 64, 189
 - UV, 317
 - pH, 195
 - pT, 193
 - bubble point, 190
 - calculations, 64, 189–196
 - dew point, 191
 - dynamic, 316, 317
 - Rachford-Rice, 65, 193
- flotation, 24
- flow in pipe
 - gas, 247
 - friction pressure drop, 242
- flow process, 21
- flow sheet, 66, 67, 109
- flow system, *see* open system
- flow work (W_{flow}), 99
- flue gas, 362
- fluid ounce (fl.oz.), 10
- force (F), 330
 - conversion factor, 10
- formaldehyde, 412
- fossil fuels
 - exergy, 219
- freezing, 358
- freezing point depression, 184, 185
- frequency response, 285
- friction, 26
 - second law, 249
- friction factor (f), 243
- friction loss (Φ), 239
- friction pressure drop
 - rule of thumb, 245
- friction pressure drop (Δp_f), 240
 - flow in pipe, 242
- frictionless, 372
 - flow, 240
- ft (foot, '), 9
- fuel, 12, 17
- fuel cell, 98, 102, 213, 226, 344

- fugacity (f), 342, 387
 - component (f_i), 186
- fugacity coefficient (ϕ), 178, 342, 387
- fusion (melting), 186, 358

- G , *see* Gibbs energy
- g (acceleration of gravity), 2
- g_c (mystical factor in many US books), 10
- G (giga), 2
- g-mol, 9
- gain (k), 286
- gal (gallon), 9
- gas, 116
 - dynamics, 298
 - emptying container, 393
 - filling tank, 104
 - flow in pipe, 247, 248
 - ideal, *see* ideal gas
 - volume, 14
- gas constant (R), 2, 335
- gas power plant, 236
- gas turbine, 226
 - combustion, 203
- gasoline, 32
- gasoline engine, 203
- gauge pressure (g), 11
- Gibbs energy (G), 366, 385
 - equilibrium, 384
- Gibbs energy of formation ($\Delta_f G^{\ominus}$), 219, 416
 - data, 416
- Gibbs phase rule, 332
- Gibbs' theorem, 381
- Gibbs, Josiah Willard (1839–1903), 384
- Gibbs-Helmholtz, 391
- global warming, 16
 - potential (GWP), 209
- gpm (gallons per minute), 15
- Gr (Grashof number), 296
- Grand Canyon, 36
- gravity
 - API, 13
 - specific (spgr), 13
- gross heating value (GHV), 363
 - natural gas, 33
- Guldberg and Waage, 175, 259

- H , *see* enthalpy
- h (hour, hr), 8
- half time, 269
- HAZOP analysis, 273
- heat (Q), 329, 345, 345
- heat capacity, 16, 349
 - constant pressure (C_p), 349
 - constant volume (C_v), 349
 - data
 - gases, 422

- hydrocarbons, 17
 - liquids, 421
 - water, 16
- ideal gas, 17, 342, 349
- ideal mixture, 356
- mean (\bar{C}_p), 355
- molar ($C_{p,m}$), 4
- polynomial form, 355
- specific (c_p), 5
- heat engine, 198
 - Carnot cycle, 373
- heat exchanger, 24, 70, 129–142
 - cocurrent flow, 133, 137
 - countercurrent flow, 133, 134, 137
 - efficiency, 140
 - entropy change, 167
 - logarithmic mean temperature, 132, 394
 - pressure drop, 245
 - shell and tube, 130
 - two tube-pass, 137
 - typical numbers, 135
- heat of combustion, 362
 - gross heating value (GHV), 363
 - higher, 362
 - hydrocarbons, 17
 - lower, 362
- heat of combustion ($\Delta_c H^\ominus$), 363
- heat of formation, *see also* enthalpy of formation
- heat of formation ($\Delta_f H^\ominus$), 363
- heat of reaction (enthalpy), 360
- heat of vaporization ($\Delta_{\text{vap}} H$), 16, 281, 358
- heat pump, 203
- heat reservoir, 199, 373
- heat transfer coefficient (h), *see also* overall heat transfer coefficient (U), 136
- heating value, *see also* heat of combustion
 - higher, 363
 - lower, 219
- Henry's law, 186
- Hess' law, 358, 362
- higher heating value, 363
- horsepower (hp), 12
- humans
 - artificial kidney, 44
 - energy consumption, 34
 - heart work, 34
 - heat transfer, 35
 - sweating, 35
- hydrocarbons
 - data, 17
- hydrogen
 - data, 416
 - synthesis gas, 94, 405
- hydrostatic pressure, 330
- ideal gas, 334–335
 - equation of state (gas law), 20, 334
 - mass basis, 335
 - heat capacity, 17
 - mole volume, 14
- ideal mixture, 381
 - density, 54
 - entropy, 165, 381–383
 - vapor/liquid equilibrium, 182
- ideal solution, *see* ideal mixture
- ideal tank reactor (CSTR), *see* reactor
- implicit equation, 191
- impulse response, 285
- inch ("), 9
- incompressible, 126, 154
 - flow, 240
- independent equation, 68
- independent reaction, 88
- index problem, 321
- industrial ecology, 212
- inertia, time constant, 287
- initial time (t_0), 76
- input, 303
- integrator dynamics, 297
- intensive variable, 3, 20
- internal energy (U), 96, 97, 345, 347
 - calculation of, 366
 - constant volume, 347
- interpolation, 54
- inventory, 39
- inverse response, 311, 312
- investment cost, 29
- irreversible process, 369
- isenthalpic, 21
 - pressure relief, 114, 171
- isentropic, 21, 373, 379
 - expansion, 170, 350
 - ideal gas example, 172
 - pressure relief
 - ideal gas-example, 172
 - shaft work, 149
- isobaric, 21
- isochoric, 21
- isothermal, 21
 - reactor, 260
 - shaft work, 148
- iteration, 139
- IUPAC, 2

- J (Joule), 2, 11
- Joule's experiment, 353
- Joule-Thompson coefficient (μ), 357
- Joule-Thompson effect, 116, 117
- Joule-Thompson valve, 26, 171

- K (Kelvin), 2, 10
- k (kilo), 2

- K value, 188
- Kelvin's postulate, 372
- key reactant, 81
- kg (kilogram), 2, 8
- kidney, artificial, 44
- kinetic energy, 96, 125, 344
 - neglect, 97
- kinetics, *see* reaction kinetics
 - elementary, 256
- KTPA (kilo ton per annum), 15
- kWh (kilowatt hour), 12

- l (liter), 9
- laminar flow, 243, 297
- Lang-factor, 30
- Langmuir, 257
- latent energy, 345
- latent heat, 364
- law of mass action, 175, 259
- lb (pound), 8
- lb-mol (strange unit in US books), 9
- lb_f (pound force) (strange unit in US books), 10
- Le Chatelier's principle, 173
- length, conversion factor, 9
- Levenspiel plot, 265
- lever rule, 54
- light, speed of, 41
- limiting reactant, 81
- linearization, dynamics, 301–303
- linearized model, 303
- liquid, 116
- LNG (liquefied natural gas), 219
- log-mean Carnot factor, 201, 233
- logarithmic mean temperature, 132, 394
- lossless, 372
- lower heating value, 219

- M* (molar mass), 3, 328
- m*, *see* mass
- M (mega), 2
- m (meter), 2, 9
- m (milli), 2
- M (roman numeral for 1000), 15
- mass (*m*), 40
 - conversion factor, 8
- mass balance, 47–76
 - component, 48, 276
 - dynamic, 275
 - matrix formulation, 90, 254
 - mixing, 49
 - mixture, 51
 - recycle, 55
 - total, 43
 - with reaction, 77–94
- mass flow (mass rate) ($\dot{m} \equiv w$), 5, 41
- mass flow rate ($\dot{m} \equiv w$), 274
- material balance, *see* mass balance
- MATLAB
 - ammonia equilibrium, 177
 - DAE system, 319
 - distillation, 314
 - Euler integration, 307
 - fmincon, 321
 - isothermal CSTR, 311
 - ode15s, 319
 - odeeuler.m, 307
 - rank, 89
 - stirred tank, 306
 - three stirred tanks, 309
 - vector calculations, 315
- matrix, 303
- matrix formulation of mass balances, 90, 254
- Maxwell, 339
- mean velocity (*v*), 125
- mechanical energy, 239
- mechanical energy balance, 237–251
- melting point depression, 185
- membrane unit, 24
 - artificial kidney, 44
- methane
 - combustion, 119
 - data, 416
 - thermodynamic diagram, 418
- methanol, 412
 - data, 416
 - energy balance, 120
 - equilibrium, 92
 - mass balance, 92
 - synthesis gas, 94
- MIGD (million imperial gallons per day), 15
- mile, 9
- min (minute), 8
- mixer, 24, 70
- mixing rule
 - linear blending, 50
 - SRK equation of state, 341
- mixing tank
 - dynamics, 306
- mixture, 381
 - energy balance, 107
 - heat of mixing ($\Delta_{\text{mix}}H$), 112, 281, 359, 365, 381
 - ideal, 381
 - mixing entropy ($\Delta_{\text{mix}}S$), 381
 - mixing volume ($\Delta_{\text{mix}}V$), 55, 381
 - mixing work
 - natural gas power plant, 220
 - non-ideal, 188
 - separation work, 222
 - distillation, 223
- MM (million), 15

- mol, 2, 9
- molar enthalpy (H_m), 4
- molar flow (mole rate) ($\dot{n} \equiv F$), 5
- molar flow rate ($\dot{n} \equiv F$), 274
- molar fraction, *see* mole fraction (x_i)
- molar heat capacity ($C_{p,m}$), 4
- molar mass (M), 3, 328
 - data, 416
 - mixture, 328
- molar quantity (X_m), 4
- molar volume (V_m), 4
 - ideal gas, 14
- mole, 327
- mole fraction (x_i), 4
- molecular weight, 3, 328, *see also* molar mass (M)
- momentum (mv), 40
- momentum balance, *see* mechanical energy balance
 - bath tub, 297
- Mount Everest, 331
- MTPA (million ton per annum), 15
- multivariable systems, 303

- n (nano), 2
- N (Newton), 2, 10
- N (normal), 14
- natural convection, 296
 - air, 296
 - water, 296
- natural gas, 225
 - combustion, 119
 - heating value, 33
 - heating value (GHV), 33
 - sales gas, 33
 - sales gas specification, 33
 - ton oil equivalent (toe), 33
- natural gas power plant, 225
- negative feedback, 322
- Newton's 2nd law, 41, 238
- nitric acid, 359
 - production, 412, 413
- Nm³ (Normal cubic meter), 14
- non-flow system, *see* closed system
- non-ideal mixture, 188
- normal boiling point, 378
- normal boiling point (T_b), 16
- normal cubic meter [Nm³], 14
- notation, 1
 - simplified, 7
- Nu (Nusselt number), 296
- number of heat transfer units (N_{tu}), 141

- oil, 12, 17
- open system
 - energy balance, 95, 100
- osmotic pressure, 221, 382
 - seawater, 382
- Otto cycle, 203
- ounce (oz), 10
- output, 285
- overall heat transfer coefficient (U), 132, 135, 293, 295
 - conversion factor, 135
 - typical values, 135

- p , *see* pressure
- P (peta), 2
- p (pico), 2
- packings, 22
- paper machine, 69
- partial molar enthalpy, 281
- partial molar quantity (\bar{X}_i or X_i), 381
- partial pressure (p_i), 335
- Pascal (Pa), 2
- Peng-Robinson (PR) equation of state, 340, 342
- perpetuum mobile, 162, 239
- phase rule, Gibbs, 332
- phase transition, 358
 - dynamic energy balance, 280
 - entropy, 378
- physical chemistry, 327–391
- PID controller, 322
- platinum catalyst, 259, 260
- poise (P) (unit for viscosity), 243
- polytropic, 148
- polytropic process, 149
- postulate, 347
- potential energy, 96, 125, 345
 - neglect, 97
- pound (lb), 8
- pound force (lb_f) (strange unit in US books), 10
- pound mole (lb-mol) (strange unit in US books), 9
- power
 - conversion factor, 12
- Poynting factor, 183, 188
- ppb, 4
- ppb (parts per billion), 2
- ppm, 4
- ppm (parts per million), 2
- Pr (Prandtl number), 296
- PRBS response, 285
- pressure
 - atmospheric (1 atm), 11
- pressure (p), 330
 - absolute, 11
 - barometric formula, 331, 352
 - conversion factor, 11
 - gauge pressure, 11

- standard ($p^\ominus = 1 \text{ bar}$), 3
- thermodynamic, 390
- pressure drop
 - friction (Δp_f), 242
 - gas, 247
 - heat exchanger, 245
- pressure dynamics, 299
- pressure ratio
 - critical, 128
- pressure relief
 - ideal gas, 114
 - isenthalpic, 114
 - real gas, 118
- pressure-enthalpy (pH) diagram, 118, 156, 333
 - ammonia, 419
 - methane, 115, 418
- pressure-volume (pV) work, 99
- process, *v*, 18
 - batch, 20
 - continuous, 21
 - dynamic (non-steady state), 21
 - reversible, 20, 331
 - semi-batch, 20
 - steady-state, 21
- process design, 75
- production cost, 31
- production rate, 28
- propane
 - thermodynamic diagram, 415
- propylene
 - thermodynamic diagram, 415
- psi (pounds per square inch), 11
- psia (pounds per square inch absolute), 11
- psig (pounds per square inch gauge), 11
- pump, 25, 70
- pump work (W_s), 154
- pumping head, 242
- purge, 56
 - methanol process, 71
- Q , *see* heat
- Qatar, 33
- quench, 25
- R (gas constant), 2
- R134a (refrigerant), 159, 209
 - thermodynamic diagram, 415
- R600a (isobutane), 209
- R717 (ammonia), 208, *see also* ammonia
- Rachford-Rice flash equation, 193
- radiator, 129
- Rankine (R), 10
- Rankine cycle, 203, 226
 - power plant, 227
 - reverse (refrigeration), 206
- Rankine refrigeration cycle, 203, 206
- Raoult's law, 182
- Rashig-ring, 22
- rate, 5
- rate of reaction, *see* reaction rate
- Rayleigh distillation, 396
- Re (Reynolds number), 243
- reaction, 77
 - energy balance, 118
 - independent, 88
- reaction engineering, 253–271
- reaction kinetics, 253
 - chemical equilibrium, 258
- reaction mechanism, 256
- reaction order, 257, 267
- reaction rate (r), 253, 277
- reaction rate constant (k), 256
- reactor, 25, 70, 260–271
 - batch, 78, 262, 299
 - continuous, 79
 - continuous stirred tank (CSTR), 262, 277
 - dynamic energy balance, 281
 - dynamics isothermal, 311
 - dynamics, first-order reaction, 299
 - dynamics, second-order reaction, 313
 - plug flow (PFR), 264
 - similarity batch and plug flow, 267
- real gas, 335–343
 - compression, 155, 159
 - generalized diagram, 336
 - pressure relief, 118
- reboiler, 23
- recycle, 55
 - batch process, 64
 - mass balance, 62
 - methanol process, 71
- Redlich-Kwong equation, 340
- reduced pressure (p_r), 337
- reduced temperature (T_r), 337
- reference state, 106, 364
 - elements, 364
 - other, 365
- reflux, 23
- refrigerant, 208
 - CO_2 (R744), 208, 209
 - ammonia (R717), 208
 - CFCs, freons (R12, R22), 208
 - i-butane (R600a), 209
 - R134a, 159, 209, 415
- refrigerator, 129, 203, 205
 - ammonia cycle, 206
 - R134a cycle, 159
- relative volatility (α), 183
- reservoir, 199, 373
- residence time, 290, 291
 - reactor, 267

- residence time distribution (RTD), 285
- restriction, pressure drop, 241
- reversible process, 331, 372, 377
 - entropy, 371
- Reynolds number (Re), 243
- rotational energy, 345
- rule of thumb
 - friction pressure drop, 245
 - heat exchanger ΔT_{\min} , 137
 - heating value of oil and natural gas, 32
 - Trouton's rule for ΔS , 378
 - vapor pressure water, 181
- s (second), 2, 8
- S (standard), 3, 14
- salt power, 221
- saturated, 16, 116
- saturation pressure, 65, 180, *see also* vapor pressure (p^{sat})
- scaling, 66, 67
- scaling exponent, 29
- SCMH (standard cubic meters per hour), 15
- scrubber, 25
- sea water
 - boiling point, 185
 - freezing point, 186
- second law of thermodynamics, 161
- selectivity (ϕ), 82
- semi-batch process, 20
- sensitive heat, 365
- separator, 25, 70
- settler, 25
- shaft work (W_s), 98, 344
 - adiabatic, 149
 - ideal gas, 148
 - important example, 150
 - isentropic, 149
 - isothermal, 148
 - real gas, 155
 - reversible, 145
- shell and tube heat exchanger, 130, 136
- shift reaction, 92, 405, 412
- SI units, 2, 7
- simulation, 75
 - dynamic, 303–325
 - heat exchanger, 139
 - versus design, 139
- Sm^3 (standard cubic meter), 14
- ©, 9, 93, 210, 250
- Soave-Redlich-Kwong (SRK), 178, 187, 188, 340, 357
- solar cells, 33
- solubility
 - Henry's constant, 186
- solubility of gas, 186
- solute, 184
- solvent, 184
- specific enthalpy (h), 5
- specific gravity (spgr), 13
- specific heat capacity (c_p), 5
- specific quantity, 5
- speed of sound (c_s), 127, 247
- split fraction, 70
- splitter, 25, 70
- spreadsheet introduction, 59
- standard ambient temperature (298.15 K), 3
- standard cubic meter [Sm^3], 14
- standard pressure (p^\ominus), 3
- standard state, 3
- standard temperature and pressure (STP), 3
- state, 19
- state diagram, 109, *see also* thermodynamic diagram
- state function, 371
- state variable, 19, 332
 - dynamics, 303
 - number of, 332
- static pressure, 240
- steady-state process, 21, 43
 - balance, 283
 - component balance, 78
- steady-state value (*), 283
- steam
 - low pressure, 216
- steam, H_2O (g), 16
 - steam reformer, 405
 - steam turbine, 158, 227
 - thermodynamic diagram, 420
 - steam engine, 197
- step response, 285, 286
 - first-order, 289
 - higher-order, 308
- stirred tank
 - dynamics three tanks, 308
- stoichiometric coefficient (ν), 79
- stoichiometric matrix (N), 90
- STP (standard temperature and pressure), 3
- stream, 20
- stream data, 67
- stripping, 25
- styrene, 124
- subcooled liquid, 206
- sublimation, 358
 - CO_2 , 416
- supercritical, 116
- superheated vapor, 228, 232
- surface energy, 345
- symbols, 1
- synthesis, 76
- synthesis gas, 94, 405

- heat exchanger, 137
- system, 19
 - adiabatic, 19
 - boundary, 76
 - closed, 19, 346
 - isolated, 19
 - open, 19
- system boundary, 19

- T , *see* temperature
- t , *see* time
- T (tera), 2
- t (ton), 8
- Taylor-series expansion, 301
- T_b (normal boiling point), 16
- temperature, 329
 - absolute (T), 10
 - Celsius (t), 10
 - conversion factor, 10
 - dynamic energy balance, 279
 - thermodynamic (T), 390
- thermal conductivity (k), 136, 296
- thermal energy, 345, 365
- thermal expansion coefficient (β), 296
- thermal power, 197–236
- thermochemistry, 357
- thermocouple, 293
- thermodynamic diagram, 115, 156, 333
 - HS -diagram, water, 420
 - pH -diagram, 333
 - ammonia, 419
 - ammonia cooling cycle, 207
 - methane, 418
 - pV -diagram, 333
 - other components, 415
- thermodynamics, 329, 327–391
 - 0th law, 161
 - 1st law, 101, 161, 345
 - 2nd law, 161, 173, 372
 - 3rd law, 163
 - fundamental equation, 389
 - history of, 197
 - partial derivatives, 389
- third law of thermodynamics, 163
- time (t), units for, 8
- time constant (τ), 286
 - bathtub, 298
 - continuous stirred tank, 290
 - with heat exchanger, 291
 - continuous stirred tank reactor (CSTR)
 - first order reaction, 299
 - second-order reaction, 313
 - cooking plate, 293
 - first-order system, 287
 - gas tank, 298
 - outflow sink, 302
 - thermocouple, 295
 - time delay (θ), 287
 - time response, 284–290
 - ton (ton oil equivalent), 12, 17, 363
 - ton, 8
 - long, 8
 - metric (tonne), 8
 - short, 8
 - torr (mm Hg), 11
 - tower, 21
 - TPA (ton per annum), 15
 - TPD (ton per day), 15
 - trays, 22
 - triple point, 416
 - Trouton's rule, 378
 - turbine, 25, 70, 144
 - turbulent flow, 243, 297, 302

 - U , *see* internal energy
 - U , *see* overall heat transfer coefficient
 - UNIFAC, 188
 - unit operations, 21
 - units
 - check, 7
 - conversion, 8
 - exercises, 31
 - SI, 2
 - unsteady state, *see* dynamic

 - V , *see* volume
 - v , *see* velocity
 - valve, 26
 - relative capacity coefficient (C_d), 245
 - choke, 26
 - energy balance
 - leak, 126
 - isenthalpic, 114, 172
 - Joule-Thompson, 26
 - pressure drop, 244
 - valve coefficient (C_v), 26
 - valve equation, 26, 244
 - van der Waals equation of state, 155, 337
 - van der Waals, Johannes (1837–1923), 337
 - van't Hoff, 176
 - equation, 388
 - osmotic pressure, 382
 - van't Hoff, Jacobus (1852–1911), 382
 - vapor (= saturated gas), 16, 179
 - vapor pressure (p^{sat}), 16, 180, 182, 340
 - water, 16, 180, 181
 - vapor/liquid-equilibrium (VLE), 179–189
 - distillation, 314
 - non-ideal, 188
 - Raoult's law, 182
 - relative volatility, 183
 - SRK, 188, 342

- UNIFAC, 188
- velocity (v), 97, 125, 126, 127, 239
- viscosity, 243
- viscosity (μ), 296
- volume (V)
 - conversion factor, 9
 - gas, 14
 - standard, 14
- volume change work, 99, 346–347
- volumetric flow rate ($\dot{V} \equiv q$), 5, 274

- W , *see* work
- W (Watt), 2
- water, 16
 - boiling point elevation, 185
 - boiling point variation
 - elevation, 331
 - pressure, 182
 - data, 16, 416
 - freezing point depression, 185
 - Henry's law, 186
 - thermodynamic diagram, 420
 - vapor pressure, 16, 181, 182
 - experimental data, 181
 - rule of thumb, 181
- water fall, 96
- water turbine, 155
- wet basis, 362
- window pane, heat loss, 135
- wood, 17
- work (W), 344, 345
 - expansion, 145
 - flow, 99
 - forms, 98
 - from heat, 197–377
 - lost, 239
 - sign convention, 3, 98
 - volume change, 99, 346–347
- working fluid, *see also* refrigerant, 208

- X , *see* conversion
- x_i (mole fraction), 4

- y (year), 8
- yard, 9
- yield (Y), 82
 - total, 85