

## Author Index

### A

Abad-Zarate, E.F., Gómez-Castro, F.I., Segovia-Hernández, J.G. and Hernández, S., Study of the thermally coupled distillation sequences using a nonequilibrium stage model	719
Afacan, A. (see Chen, G.X.)	392
Afonso, A.P. (see Fregolente, L.V.)	648
Agarwal, V., Thotla, S. and Mahajani, S.M., Selectivity engineering with reactive distillation: determination of attainable region	73
Ahlfors, H.-M. (see Keskinen, K.I.)	920
Aittamaa, J. (see Keskinen, K.I.)	920
Aittamaa, J. (see Jakobsson, K.)	450
Al-Arfaj, M.A. (see Shigaeo Hori, E.)	590
Al-Tarazi, M. (see ter Maat, H.)	481
Alcántara-Ávila, R., Cabrera-Ruiz, J., Tamayo-Galván, V.E., Segovia-Hernández, J.G. and Hernández, S., Control properties of alternative schemes to thermally coupled distillation columns for ternary mixtures separations	610
Alvarez, E., Cancela, M.A., Maceiras, R. and Navaza, J.M., Variation of the interfacial area during CO <sub>2</sub> absorption into alkanolamines aqueous solutions in a bubble column reactor	973
Amale, A. (see Lucia, A.)	63
Arellano-Garcia, H. (see Barz, T.)	954
Aso, K. (see Nakanishi, T.)	851
Aspiron, N. (see Notz, R.)	132
Ataki, A., Kolb, P., Bühlmann, U. and Bart, H.-J., Wetting performance and pressure drop of structured packings: CFD and experiment	534
Ausner, I. (see Repke, J.-U.)	190

### B

Bachmann, C. (see Heggemann, M.)	773
Balazs, T. (see Kotai, B.)	699
Bandyopadhyay, S., Extended smoker's equation for calculating number of stages in distillation	937
Bandyopadhyay, S., Thermal integration of a distillation column through side-exchangers	162
Barakat, T. and Sørensen, E., Optimal configuration, design and operation of continuous hybrid distillation/pervaporation processes	628
Bart, H.-J. (see Ataki, A.)	534

Barz, T., Arellano-Garcia, H. and Wozny, G., Robust online optimization based on controller performance metrics for a high-pressure distillation column	954
Batistella, C.B. (see Fregolente, L.V.)	648
Batistella, C.B. (see Maciel Filho, R.)	142
Behrens, M., Olujić, Ž. and Jansens, P.J., Vapour–liquid mass transfer performance of modular catalytic structured packing	991
Bendová, M., Liquid–liquid equilibrium in binary mixtures of 1-ethyl-3-methylimidazolium ethylsulfate and hydrocarbons	574
Billingham, J.F. (see Lockett, M.J.)	400
Blagov, S. (see Ryll, O.)	100
Bogle, D. (see Repke, J.-U.)	709
Bonet, J., Galan, M.I., Costa, J., Thery, R., Meyer, X., Meyer, M. and Reneaume, J.M., Pressure optimisation of an original system of pressure swing with a reactive column	344
Brehelin, M., Rouzinneau, D., Forner, F., Repke, J.-U., Meyer, M. and Wozny, G., Production of propyl acetate by reactive distillation: from experiments to simulation	667
Brunazzi, E. and Viva, A., Experimental investigation of reactive distillation packing Katapak® – SP 11: hydrodynamic aspects and size effects	554
Buchaly, C., Kreis, P. and Góral, A., Experimental investigation of reactive distillation in combination with membrane separation	373
Bühlmann, U. (see Ataki, A.)	534

## C

Cabrera-Ruiz, J. (see Alcántara-Ávila, R.)	610
Cai, T.J. (see Chen, G.X.)	392
Cancela, M.A. (see Alvarez, E.)	973
Chambers, S. and Schultes, M., How to surpass conventional and high capacity structured packings with Raschig Super-Pak	241
Chavez, R.-H., Guadarrama, J. de J. and Klapp, J., Experimental evaluation of sulphur dioxide absorption in water	912
Chen, G.X., Cai, T.J., Chuang, K.T. and Afacan, A., Foaming effect on random packing performance	392
Chew, M., Jones, W.E. and Wilson, J.A., Distillation column control using the whole temperature profile	600
Chokshi, S. and Malik, R.K., Strategies for identifying multiplicities in distillation systems using process simulators	858
Chuang, K.T. (see Chen, G.X.)	392
Clausen, I. (see Notz, R.)	132
Costa, J. (see Bonet, J.)	344

**D**

Daniel, G., Patil, P., Dragomir, R. and Jobson, M., Conceptual design of reactive dividing wall columns	364
Darton, R.C. (see Martin, P.J.)	657
de Haan, A.B. (see de Jong, M.C.)	678
de Haan, A.B. (see Galán Sánchez, L.M.)	511
de Haan, A.B.(see Kuipers, N.J.M.)	689
de Jong, M.C., Dimian, A.C., Kuipers, N.J.M. and de Haan, A.B., Entrainer selection for the synthesis of fatty acid esters by entrainer-based reactive distillation	678
de Rijke, A., Tesselaar, W., Gadalla, M.A., Olujic, Z. and Jansens, P.J., Heat and mass transfer characteristics of an annular sieve tray	181
Dell'Era, C. (see Jakobsson, K.)	450
Denes, F., Lang, P. and Lang-Lazi, M., Liquid–liquid–liquid equilibrium flash calculations	877
Dimian, A.C. (see de Jong, M.C.)	678
Dragomir, R. (see Daniel, G.)	364
Duss, M., A new method to predict the susceptibility to form maldistribution in packed columns based on pressure drop calculations	418

**E**

Endo, A. (see Iwakabe, K.)	900
Ernst Oude Lenferink, J. (see Kister, H.Z.)	384, 409

**F**

Faber, R. (see Thiele, R.)	469
Fankhauser, U., Challenges and opportunities for the suppliers of technologies, equipment and services for separation towers	21
Fieg, G. (see Gruetzmamn, S.)	891
Fieg, G. (see Niggemann, G.)	800
Fischer, M. (see Pilling, M.)	317
Flisch, C. (see Sander, S.)	353
Forner, F. (see Brehelin, M.)	667
Fregolente, L.V., Moraes, E.B., Martins, P.F., Batistella, C.B., Wolf Maciel, M.R., Afonso, A.P. and Reis, M.H.M., Enrichment of natural products using an integrated solvent-free process: molecular distillation	648
Friese, T. (see Jödecke, M.)	786

**G**

Gaal-Szilagyi, J. (see Lang, P.)	830
Gadalla, M.A. (see de Rijke, A.)	181

Galan, M.I. (see Bonet, J.)	344
Galán Sánchez, L.M., Meindersma, G.W. and de Haan, A.B., Solvent properties of functionalized ionic liquids for CO <sub>2</sub> absorption	511
Geissler, E. (see Sander, S.)	353
Glasser, D. (see Modise, T.)	431
Glasser, D. (see Mulopo, J.L.)	964
Glasser, D. (see Ngigi, G.)	928
Glasser, D. (see Peters, M.)	152
Glasser, D. (see Wilson, C.)	111
Gomez, J.M., Reneaume, J.M., Meyer, M. and Meyer, X., MINLP optimization of catalytic distillation columns using a rate-based model	820
Gómez-Castro, F.I. (see Abad-Zarate, E.F.)	719
Górak, A. (see Buchaly, C.)	373
Górak, A. (see Hüpen, B.)	523
Greaves, M.A. (see Mujtaba, I.M.)	868
Gruetzmann, S., Niggemann, G., Kapala, Th. and Fieg, G., Startup operation of a cyclic middle vessel batch distillation	891
Gruetzmann, S. (see Niggemann, G.)	800
Grützner, T., Lang, N., Siegert, M., Ströfer, E. and Hasse, H., Development of a new distillation based process for trioxane production	336
Guadarrama, J. de J. (see Chavez, R.-H.)	912

## H

Haaring, J. (see Olujić, Ž.)	252
Haas, M. (see Hüpen, B.)	523
Hallenberger, K. (see Hüpen, B.)	523
Hankins, N., A non-linear wave model with variable molar flows for dynamic behaviour and disturbance propagation in distillation columns	200
Hasebe, S. (see Nakanishi, T.)	851
Hasse, H. (see Grützner, T.)	336
Hasse, H. (see Notz, R.)	132
Hasse, H. (see Ottenbacher, M.)	840
Hasse, H. (see Ryll, O.)	100
Hasse, H. (see Sander, S.)	353
Hegemann, M., Hirschberg, S., Spiegel, L. and Bachmann, C., CFD simulation and experimental validation of fluid flow in liquid distributors	773
Heggs, P.J. (see Martin, M.)	88
Hernández, S. (see Abad-Zarate, E.F.)	719
Hernández, S. (see Alcantára-Ávila, R.)	610
Hernández, S. (see Hernández-Vargas, E.A.)	728

Hernández-Vargas, E.A., Segovia-Hernández, J.G., Hernández, S. and Jiménez, A., Dynamic analysis of distillation with thermal coupling for different operating conditions	728
Hildebrandt, D. (see Modise, T.)	431
Hildebrandt, D. (see Mulopo, J.L.)	964
Hildebrandt, D. (see Ngigi, G.)	928
Hildebrandt, D. (see Peters, M.)	152
Hildebrandt, D. (see Wilson, C.)	111
Hirschberg, S. (see Heggemann, M.)	773
Hoffmann, A. (see Hüpen, B.)	523
Hoffmann, A. (see Repke, J.-U.)	190
Hogendoorn, J.A. (see ter Maat, H.)	481
Horiuchi, K., Yanagimoto, K., Kataoka, K. and Nakaiwa, M., Energy-saving characteristics of heat integrated distillation column technology applied to multi-component petroleum distillation	172
Houghton, P. (see Trifonov, Y.)	764
Huang, K. (see Iwakabe, K.)	900
Hüpen, B., Hoffmann, A., Görak, A., Löning, J.-M., Haas, M., Runowski, T. and Hallenberger, K., Standardisation of mass transfer measurements – a basis for the description of absorption processes	523
Huttenhuis, P.J.G., Mohan, A., van Loo, S. and Versteeg, G.F., Absorption of carbonyl sulphide in aqueous piperazine	581
<b>I</b>	
Iwakabe, K., Nakaiwa, M., Huang, K., Matsuda, K., Nakanishi, T., Ohmori, T., Endo, A. and Yamamoto, T., An internally heat-integrated distillation column (HIDiC) in Japan	900
<b>J</b>	
Jakobsson, K., Ouni, T., Lievo, P., Uusi-Kyyny, P., Dell'Era, C., Pyhälähti, A. and Aittamaa, J., Miniplant in modelling distillation for an isoctene process	450
Jansen, H. (see Jödecke, M.)	786
Jansens, P.J. (see Behrens, M.)	991
Jansens, P.J. (see de Rijke, A.)	181
Jiménez, A. (see Hernandez-Vargas, E.A.)	728
Jobson, M. (see Daniel, G.)	364
Jobson, M. (see Patil, P.)	460, 498
Jobson, M. (see Martin, M.)	88
Jödecke, M., Friese, T., Schuch, G., Kaibel, B. and Jansen, H., The Sandwich packing – a new type of structured packing to increase capacity and mass transfer of distillation columns	786
Jones, W.E. (see Chew, M.)	600

**K**

Kaibel, B. (see Jödecke, M.)	786
Kaneda, M. (see Noda, H.)	737, 745
Kapala, Th. (see Gruetzmann, S.)	891
Kapteijn, F. (see Mueller, I.)	273
Kataoka, K. (see Horiuchi, K.)	172
Kataoka, K. (see Noda, H.)	737, 745
Kauchali, S. (see Modise, T.)	431
Kauchali, S. (see Peters, M.)	152
Kenig, E.Y. (see Mueller, I.)	273
Kenig, E.Y. (see Shilkin, A.)	211
Keskinen, K.I., Ahlfors, H.-M. and Aittamaa, J., Hydraulic measurements of sieve plate	920
Kister, H.Z., Stupin, W.J. and Ernst Oude Lenferink, J., Troubleshoot packing maldistribution upset part 1: temperature surveys and gamma scans	384
Kister, H.Z., Stupin, W.J. and Ernst Oude Lenferink, J., Troubleshoot packing maldistribution upset part 2: boiling and flashing in packed tower distributors	409
Klapp, J. (see Chavez, R.-H.)	912
Klein, A. (see Repke, J.-U.)	709
Klein, A. (see Varbanov, P.)	945
Kloeker, M. (see Mueller, I.)	273
Knaap, M.C. (see van Elk, E.P.)	294
Kobus, J. (see Meier, R.)	267
Kolb, P. (see Ataki, A.)	534
Kolev, D. (see Kolev, N.)	754
Kolev, N., Nakov, S., Ljutzkanov, L. and Kolev, D., Comparison of the effective surface area of some highly effective random packings third and forth generation	754
Konijn, G. (see Wilkinson, P.)	327
Kooijman, H. (see Wehrli, M.)	230
Kooijman, H. (see Wilkinson, P.)	327
Kossack, S., Kraemer, K. and Marquardt, W., Combining shortcut methods and rigorous MINLP optimization for the design of distillation processes for homogenous azeotropic mixtures	122
Kotai, B., Lang, P. and Balazs, T., Separation of maximum azeotropes in a middle vessel column	699
Kotai, B. (see Lang, P.)	830
Kovacs, Gy. (see Lang, P.)	830
Kraemer, K. (see Kossack, S.)	122
Kreis, P. (see Buchaly, C.)	373

Kuipers, N.J.M., Wentink, A.E., de Haan, A.B., Scholtz, J. and Mulder, H., Functionalised solvents for olefin isomer purification by reactive extractive distillation	689
Kuipers, N.J.M. (see de Jong, M.C.)	678

**L**

Lang, N. (see Grützner, T.)	336
Lang, P., Kovacs, Gy., Kotai, B., Gaal-Szilagyi, J. and Modla, G., Industrial application of a new batch extractive distillation operational policy	830
Lang, P. (see Denes, F.)	877
Lang, P. (see Kotai, B.)	699
Lang, P. (see Modla, G.)	440
Lang-Lazi, M. (see Denes, F.)	877
Leistner, J. (see Meier, R.)	267
Liang, Y.C. (see Zhang, Z.B.)	982
Lievo, P. (see Jakobsson, K.)	450
Lima Silva, N. (see Maciel Filho, R.)	142
Liu, C.J. (see Sun, Z.M.)	282
Ljutzenkov, L. (see Kolev, N.)	754
Lockett, M.J., Victor, R.A. and Billingham, J.F., Structured packing flooding: its measurement and prediction	400
Lóning, J.-M. (see Thiele, R.)	44
Löning, J.-M. (see Hüpen, B.)	523
Lucia, A., Amale, A. and Taylor, R., Synthesis, design and retrofitting of energy efficient separation processes	63

**M**

Maceiras, R. (see Alvarez, E.)	973
Maciel Filho, R., Lima Silva, N., Batistella, C.B., Wolf Maciel, M.R., Winter, A., Sbaite, P. and Medina, L., Biodiesel production, lubricant fractionating and development of a new true boiling point curve through molecular distillation	142
Mahajani, S.M. (see Agarwal, V.)	73
Mahr, B. and Mewes, D., Modeling and measurement of macroscopic flow fields in structured packings	544
Malik, R.K. (see Chokshi, S.)	858
Malik, Z. (see Patil, P.)	460, 498
Malinen, I. and Tanskanen, J., Rigorous method of minimum energy calculation for a fully thermally coupled distillation system	790
Marquardt, W. (see Kossack, S.)	122
Marti, U. (see Wehrli, M.)	230

Martin, M., Jobson, M., Zhang, N. and Heggs, P.J., Shortcut evaluation of absorption for synthesis of gas separation networks	88
Martin, P.J., Swain, M. and Darton, R.C., Riser design in foam fractionation	657
Martins, P.F. (see Fregolente, L.V.)	648
Matsuda, K. (see Iwakabe, K.)	900
Matsuda, K. (see Nakanishi, T.)	851
Maus, E. (see Roza, M.)	619
Medina, L. (See Maciel Filho, R.)	142
Meier, R., Leistner, J. and Kobus, A., Three-phase distillation in packed columns: guidelines for development, design and scale-up	267
Meindersma, G.W. (see Galán Sánchez, L.M.)	511
Meng, W.M. (see Zhang, Z.B.)	982
Mewes, D. (see Mahr, B.)	544
Meyer, M. (see Bonet, J.)	344
Meyer, M. (see Brehelin, M.)	667
Meyer, M. (see Gomez, J.M.)	820
Meyer, X. (see Bonet, J.)	344
Meyer, X. (see Gomez, J.M.)	820
Modise, T., Kauchali, S., Hildebrandt, D. and Glasser, D., The experimental simulation of the saddle point region in a distillation column profile map by using a batch apparatus	431
Modla, G. and Lang, P., New method for the determination of batch heteroazeotropic distillation regions	440
Modla, G. (see Lang, P.)	830
Mohan, A. (see Huttenhuis, P.J.G.)	581
Moraes, E.B. (see Fregolente, L.V.)	648
Mosca, G. (see Wilkinson, P.)	327
Moulijn, J.A. (see Mueller, I.)	273
Mueller, I., Kenig, E.Y., Kloeker, M., Schildhauer, T.J., Kapteijn, F. and Moulijn, J.A., Rate-based modelling and simulation of reactive stripping	273
Muggli, F. (see Wehrli, M.)	230
Mujtaba, I.M. and Greaves, M.A., Neural network based modelling and optimisation in batch reactive distillation	868
Mukaida, T. (see Noda, H.)	737, 745
Mulder, H. (see Kuipers, N.J.M.)	689
Mulopo, J.L., Hildebrandt, D. and Glasser, D., How to decide when and how much to use reactive distillation	964
<b>N</b>	
Nakaiwa, M. (see Horiuchi, K.)	172
Nakaiwa, M. (see Iwakabe, K.)	900

Nakaiwa, M. (see Nakanishi, T.)	851
Nakaiwa, M. (see Noda, H.)	737
Nakanishi, T., Aso, K., Takamatsu, T., Matsuda, K., Nakaiwa, M. and Hasebe, S., Method of design for packed column type HIDiC	851
Nakanishi, T. (see Iwakabe, K.)	900
Nakov, S. (see Kolev, N.)	754
Navaza, J.M. (see Alvarez, E.)	973
Ngigi, G., Hildebrandt, D. and Glasser, D., Evaluation of phase equilibria for dilute mixtures for design purposes	928
Niederer, J.P.M. (see ter Maat, H.)	481
Nieuwoudt, I. (see Penciak, J.)	311
Niggemann, G., Gruetzmann, S. and Fieg, G., Distillation startup of fully thermally coupled distillation columns: theoretical examinations	800
Niggemann, G. (see Gruetzmann, S.)	891
Noda, H., Mukaida, T., Kaneda, M., Kataoka, K. and Nakaiwa, M., Internal column-to-column heat transfer characteristics for energy-saving distillation system	737
Noda, H., Mukaida, T., Kaneda, M., Yamaji, H. and Kataoka, K., A high efficiency distillation system for batch or semi-batch chemical reactions	745
Notz, R., Aspiron, N., Clausen, I. and Hasse, H., Selection and pilot plant tests of new absorbents for post combustion carbon dioxide capture	132

**O**

Ohligschläger, A., Development of a hybrid solvent recovery process (combination of distillation and vapour permeation)	854
Ohmori, T. (see Iwakabe, K.)	900
Olujić, Ž., van Baak, R. and Haaring, J., Liquid distribution behaviour of conventional and high capacity structured packings	252
Olujić, Ž. (see Behrens, M.)	991
Olujić, Ž. (see de Rijke, A.)	181
Ottenbacher, M. and Hasse, H., Continuous three phase distillation: a process for separating thermally unstable substances	840
Ouni, T. (see Jakobsson, K.)	450

**P**

Patil, P., Malik, Z. and Jobson, M., Prediction of CO <sub>2</sub> and H <sub>2</sub> S solubility in aqueous MDEA solutions using an extended Kent and Eisenberg model	498
Patil, P., Malik, Z. and Jobson, M., Retrofit design for gas sweetening processes	460
Patil, P. (see Daniel, G.)	364
Penciak, J., Nieuwoudt, I. and Spencer, G., High-performance trays: getting the best capacity and efficiency	311

Peters, M., Kauchali, S., Hildebrandt, D. and Glasser, D., Separation of methanol/butene/MTBE using hybrid distillation-membrane processes	152
Pilling, M., Summers, D. and Fischer, M., The use of directional momentum devices on fractionation trays	317
Pyhälahti, A. (see Jakobsson, K.)	450

**R**

Rahimi, M.-R. (see Rahimi, R.)	220
Rahimi, R., Rahimi, M.-R., Shahraki, F. and Zivdar, M., Prediction of temperature and concentration distributions of distillation sieve trays by CFD	220
Reis, M.H.M. (see Fregolente, L.V.)	648
Reneaume, J.M. (see Bonet, J.)	344
Reneaume, J.M. (see Gomez, J.M.)	820
Repke, J.-U., Hoffmann, A., Ausner, I., Villain, O. and Wozny, G., On the track to understanding three phases in one tower	190
Repke, J.-U., Klein, A., Bogle, D. and Wozny, G., Pressure swing batch distillation for homogenous azeotropic separation	709
Repke, J.-U. (see Brehelin, M.)	667
Repke, J.-U. (see Thiele, R.)	469
Repke, J.-U. (see Varbanov, P.)	945
Rouzineau, D. (see Brehelin, M.)	667
Roza, M. and Maus, E., Industrial experience with hybrid distillation – pervaporation or vapor permeation applications	619
Runowski, T. (see Hüpen, B.)	523
Ryll, O., Blagov, S. and Hasse, H., Thermodynamic analysis of multicomponent distillation-reaction processes for conceptual process design	100
Ryll, O. (see Sander, S.)	353

**S**

Sander, S., Flisch, C., Geissler, E., Schoenmakers, H., Ryll, O. and Hasse, H., Methyl acetate hydrolysis in a reactive divided wall column	353
Sbaite, P. (see Maciel Filho, R.)	142
Schaeffer, P. (see Wehrli, M.)	230
Schildhauer, T.J. (see Mueller, I.)	273
Schoenmakers, H. (see Sander, S.)	353
Scholtz, J. (see Kuipers, N.J.M.)	689
Schuch, G. (see Jödecke, M.)	786
Schlutes, M. (see Chambers, S.)	241
Segovia-Hernández, J.G. (see Abad-Zarate, E.F.)	719
Segovia-Hernández, J.G. (see Alcántara-Ávila, R.)	610

Segovia-Hernández, J.G. (see Hernández-Vargas, E.A.)	728
Shahraki, F. (see Rahimi, R.)	220
Shigueo Hori, E., Skogestad, S. and Al-Arfaj, M.A., Self-optimizing control configurations for two-product distillation columns	590
Shilkin, A. and Kenig, E.Y., Separation performance of structured packed columns: a comparison of two modelling approaches	211
Siegert, M. (see Grützner, T.)	336
Skogestad, S., The dos and don'ts of distillation column control	28
Skogestad, S. (see Shigueo Hori, E.)	590
Skogestad, S. (see Strandberg, J.)	638
Sørensen, E. (see Barakat, T.)	628
Spencer, G. (see Penciak, J.)	311
Spiegel, L. (see Heggemann, M.)	773
Strandberg, J. and Skogestad, S., Stabilizing operation of a 4-product integrated Kaibel column	638
Ströfer, E. (see Grützner, T.)	336
Stupin, W.J. (see Kister, H.Z.)	384, 409
Summers, D. (see Pilling, M.)	317
Sun, Z.M., Yuan, X.G., Liu, C.J. and Yu, K.T., A modified model of computational mass transfer for distillation column	282
Sunder, S. (see Trifonov, Y.)	764
Swain, M. (see Martin, P.J.)	657

**T**

Takamatsu, T. (see Nakanishi, T.)	851
Tamayo-Galván, V.E. (see Alcántara-Ávila, R.)	610
Tanskanen, J. (see Malinen, I.)	790
Taylor, R., (Di)still Modeling after all these years: a view of the state of the art	1
Taylor, R. (see Lucia, A.)	63
ter Maat, H., Al-Tarazi, M., Hogendoorn, J.A., Niederer, J.P.M. and Versteeg, G.F., Theoretical and experimental study of the absorption rate of H <sub>2</sub> S in CuSO <sub>4</sub> solutions: the effect of enhancement of mass transfer by a precipitation reaction	481
Tesselaar, W. (see de Rijke, A.)	181
Thery, R. (see Bonet, J.)	344
Thiele, R., Faber, R., Repke, J.-U., Thielert, H. and Wozny, G., Design of industrial reactive absorption processes in sour gas treatment using rigorous modelling and accurate experimentation	469
Thiele, R. and Löning, J.-M., Industrial absorption current status and future aspects	44
Thielert, H. (see Thiele, R.)	469

Thotla, S. (see Agarwal, V.)	73
Toikka, A., On thermodynamics of evaporation processes in nonequilibrium systems	809
Toikka, M., Phase transitions in quaternary reacting systems with esterification reaction	563
Tonon, L. (see Wilkinson, P.)	327
Trifonov, Y., Sunder, S. and Houghton, P., Modeling of mixture separation in a column with structured packing. Effects of liquid maldistribution	764
U	
Uusi-Kyyny, P. (see Jakobsson, K.)	450
V	
van Baak, R. (see Olujć, Ž.)	252
van Elk, E.P., Knaap, M.C. and Versteeg, G.F., Application of the penetration theory for gas–liquid mass transfer without liquid bulk – differences with systems with a bulk	294
van Loo, S. (see Huttenhuis, P.J.G.)	581
Varbanov, P., Klein, A., Repke, J.-U. and Wozny, G., Startup analysis of mass- and heat-integrated two-column-systems	945
Versteeg, G.F. (see Huttenhuis, P.J.G.)	581
Versteeg, G.F. (see ter Maat, H.)	481
Versteeg, G.F. (see van Elk, E.P.)	294
Victor, R.A. (see Lockett, M.J.)	400
Villain, O. (see Repke, J.-U.)	190
Viva, A. (see Brunazzi, E.)	554
Vos, E. (see Wilkinson, P.)	327
W	
Wehrli, M., Schaeffer, P., Marti, U., Muggli, F. and Kooijman, H., Mixed-phase feeds in mass transfer columns and liquid separation	230
Wentink, A.E. (see Kuipers, N.J.M.)	689
Wilkinson, P., Vos, E., Konijn, G., Kooijman, H., Mosca, G. and Tonon, L., Distillation trays that operate beyond the limits of gravity by using centrifugal separation	327
Wilson, C., Hildebrandt, D. and Glasser, D., Experimental column profile maps with varying delta points in a continuous column for the acetone methanol ethanol system	111
Wilson, J.A. (see Chew, M.)	600
Winter, A. (see Maciel Filho, R.)	142

Wolf Maciel M.R. (see Fregolente, L.V.)	648
Wolf Maciel, M.R. (see Maciel Filho, R.)	142
Wozny, G. (see Barz, T.)	954
Wozny, G. (see Brehelin, M.)	667
Wozny, G. (see Repke, J.-U.)	190, 709
Wozny, G. (see Thiele, R.)	469
Wozny, G. (see Varbanov, P.)	945

**Y**

Yamaji, H. (see Noda, H.)	745
Yamamoto, T. (see Iwakabe, K.)	900
Yanagimoto, K. (see Horiuchi, K.)	172
Yu, K.T. (see Sun, Z.M.)	282
Yuan, X.G. (see Sun, Z.M.)	282

**Z**

Zhang, N. (see Martin, M.)	88
Zhang, Z.B., Liang, Y.C., Meng, W.M. and Zhou, Z., A study on an energy-saving tray DDV with new structures	982
Zhou, Z. (see Zhang, Z.B.)	982
Zivdar, M. (see Rahimi, R.)	220