

A SURVEY OF STABILITY OF FUZZY LOGIC CONTROL WITH AEROSPACE APPLICATIONS

Jose M. Giron-Sierra (1) , Guillermo Ortega (2)

*(1)Dept. A.C.Y.A., Fac. Fisicas, Universidad Complutense de Madrid.
28040 Madrid, Spain. E-mail: gironsi@dia.ucm.es*

(2)European Space Agency. Noordwijk. The Netherlands E-mail: gortega@estec.esa.nl

Abstract: During recent years considerable efforts have been devoted to guarantee the stability of fuzzy logic control (FLC). Several stability analysis methods have been established, and stable control designs have been introduced. This is important to pave the way for the use of FLC in applications where no risks should be run. Aerospace is a clear example of a field where control must be sure. This paper is motivated by an ESA research project on stability of FLC concerning, in particular, aerospace potential applications. The paper presents a review of the research on FLC stability, both in time and frequency domains, including also several alternatives of stable control design methods. In addition, there is a section about FLC applications in aerospace. Copyright © 2002 IFAC

Keywords: Fuzzy control, aerospace control, stability analysis

1. INTRODUCTION

Fuzzy logic control (FLC) is an interesting candidate to be considered for aerospace use. This method of control has demonstrated several advantages, with many successful applications. But it seems there is some reluctance to use it, due to stability concerns.

Along last years an effort has been done to study the stability of FLC. Several analytical methods and tools have been developed, offering now the means for a good control design with fuzzy logic.

The paper presents a survey of FLC stability, with the main lines of research. In addition describes possible applications in spacecraft control, with a mention of published uses of FLC in aerospace. The paper is a summary of part of the results of an ESA research project.

2. BASIC ISSUES

In practical terms, the PID is considered as a safe control. The matter is if FLC is also safe.

When using a controller, for instance a PID, the study of stability refers to a complete system: the plant and the controller. The characteristics of the plant are important to have, or not, stability. This also happens when using FLC. Of course, it is important to know if the controller itself is stable.

There are several types of FLCs. In many cases, Mamdani (Mamdani, 1974) controllers are static nonlinear blocks. There are also PID-like versions based on the Mamdani concept. Takagi-Sugeno (TS) (Takagi and Sugeno, 1985) controllers are usually dynamic blocks. Only dynamic blocks can be stable or unstable.

Frequently, TS FLC is based on a previous modelling of the plant as a TS system.

From the theoretical point of view, it is not easy to define stability. There are many notions and definitions. In general two approaches can be distinguished. One is to consider the behaviour of transients. The other seeks for bounded outputs when

inputs are bounded (BIBO stability). In linear systems the first type of stability implies the second type. In nonlinear systems things are different. Besides this, stability can be local or in the large. be related to equilibrium states or trajectories, etc. In general, the engineer should be aware of the type of stability that is pertinent for each particular case.

3. STABILITY OF FUZZY LOGIC CONTROL

Linear systems are a particular case of a more general category: nonlinear systems. Since fuzzy logic can approximate any function (Castro, 1995; Zeng, et al. 2000). the stability of FLC is usually studied under the perspective on nonlinear control theory.

There are two main contexts for the analysis of stability: time domain or frequency domain. Frequency domain methods are mainly used for Mamdani FLC. A representative research group using this kind of methods is connected with J. Aracil (Seville, Spain). Lyapunov (time domain) methods are mostly used for Takagi-Sugeno FLC. Here a representative research group is connected with K. Tanaka (Tokyo, Japan).

Relevant books with contents on FLC stability are (Passino and Yurkovich, 1999; Farinwata, et al., 2000; Palm, et al., 1997; Aracil and Gordillo, 2000).

In the following a selection of contributions about FLC stability will be presented, according to several analysis alternatives.

3.1 Time Domain.

There are two main methods. The Lyapunov 's direct method is based on linearization. The Lyapunov's indirect method use Lyapunov functions.

Lyapunov's Direct Method.

(Wu and Lin, 2000) model the nonlinear plant as a TS system; then they develop a TS FLC based on classical linear quadratic optimal control, giving a sequence of local controllers; by linearization they ensure the stability of each controller, so the complete control is uniformly asymptotically stable with infinite gain margin. (Ying, 1994a) studies an equilibrium state of a closed-loop system including a TS controller; a necessary and sufficient condition for local asymptotic stability is given; from this condition a design method is described, with examples.

Lyapunov's Indirect Method.

The initial contributions were from (Kiszka, et al., 1985). with an energetic approach, and from (Birdwell and Wang, 1994) on the stability of the Fuzzy-PID controller. In 1992 (Tanaka and Sugeno, 1992) achieve an important contribution: a sufficient stability condition in terms of Lyapunov function; a

common matrix P, with certain properties, must be found for all the subsystems of the TS controller; the nonlinear plant is modeled as a TS system. The group of Tokyo continued with the use of LMIs to get the P matrix (Tanaka, 1995; Wang and Tanaka, 1996; Tanaka, et al., 1996a, b, 1997, 1998a, b, c; Tanaka and Wang, 2000) including robustness and optimality aspects. Besides, (Wang, et al., 1995, 1996) propose the Parallel Distributed Compensation (PDC) design method for stable control.

Related with the contributions from Tokio, (Kawamoto, et al., 1992) is one of the firsts to apply the method suggested in 1992 by Tanaka and Sugeno. (Wong, et al., 1997, 1998) get an easy way to find a common L-function. (Joh, et al., 1998) consider the stability problem as related to switching systems: they give an interactive algorithm for the choice of the common matrix P. (Johansson, et al., 1998, 1999) use quadratic piecewise L- functions, so the gain-scheduling nature of TS FLCs is exploited to get more easily the common L-function. (Joh and Langari, 2000) develop a stable control design method based on PDC and LMIs: global asymptotic stability is guaranteed.

The passivity approach has demonstrated versatility and insight capability. (Calcev, 1998) uses this way to study the absolute stability of Mamdani FLC; this FLC can stabilize a general nonlinear passive plant, including Lagrangian systems. (Calcev, et al., 1998) apply passivity for PID-like FLC and derive conditions for asymptotic stability for linear and nonlinear plants. (Gorez and Calcev, 2000) present a synthesis of their work, considering several types of FLCs, including TS FLC. In the case of linear plants, these authors derive a frequency domain criterion on a Nyquist plot.

3.2 Frequency Domain.

In general circle criterion is more conservative than Popov's, and Popov's criterion more conservative than Describing Function.

Describing Function.

This is one of the first approaches for FLC stability study. (Kickert and Mamdani, 1978) began with an equivalence of Mamdani FLCs and multidimensional multilevel relay systems. In a series of papers (Ying, 1993, 1994b, 2000) this equivalence is further analysed. (Abdelnour, et al., 1993) use the equivalence to study the transient response of a PID-like FLC + 2nd. order linear plant.

(Wang, et al., 1990) decompose the PID-like FLC into a PID plus a nonlinear term; the D.F. is applied to this term: the conclusion is that if the PID+plant is stable, then the complete FLC+plant is also stable. (Atherton, 1993) shows how to use the D.F. to study the stability of a PID-like FLC controlling a nonlinear plant. (Kim, et al., 2000) describe the structure of FLC with fuzzy

basis functions: the D.F. is found both for static and PD-like FLCs.

(Leephakpreeda, 1999; Leephakpreeda and Batur, 1994) study the stability robustness of FLC; the higher harmonics discarded by the D.F. are considered as model uncertainty, and H_∞ is applied.

The group of Seville has a series of contributions, starting with the application of D.F. to Mamdani FLC and linear plant (Gordillo, et al., 1997). (Gordillo, et al., 1998) extend the stability analysis to the MIMO case. (Cuesta, et al., 1999) further extend the method for TS FLC with asymmetrical nonlinearities and MIMO systems. (Ollero, et al., 2000) present a short overview of the frequency domain stability analysis, with mention to multiple equilibrium states, D.F. for MIMO systems, and robust analysis of limit cycles. Other contributions of the group are (Aracil, et al., 1989, 1993, 1997) and (Ollero, et al., 1998).

Popov's Method.

(Melin, 1995) shows how to apply the Popov's criterion (with a Nyquist plot) to PID-like FLC, according to sufficient conditions for global asymptotic stability. (Wang, 1998) notes that using Popov's conditions for stability the requirements on the FLC (Mamdani) are not very strong: so there is an opportunity to specify the FLC by optimization. (Choi, et al., 2000) use a signed-distance to simplify the set of rules; absolute stability is proved.

Circle Criterion.

The first works started with the equivalence with multilevel relays: (Ray and Majumder, 1998) studied the Mamdani FLC as a static nonlinearity inside a sector; then they show how to use the circle criterion for linear SISO and MIMO plants. (Ray, et al., 1984) extends the method to PID-like FLCs.

Conicity refers to multivariable circle criterion. (Espada and Barreiro, 1999) employ conicity and small-gain to develop a method for re-design of FLCs, to robustify them. Previous work was (Espada and Barreiro, 1994; Barreiro, 1997). A related research is (Xu, et al., 1996).

(Tanaka and Ikeda, 1998) consider the case of Fuzzy Phase-Lead Compensation (FPLC); the problem is transformed to a TS FLC; following the line of (Kitamura and Kurozumi, 1991) and (Kato, 1993). they determine conditions for the stability of the FPLC + SISO linear plant; the paper also applies H_∞ for FPLC + MIMO linear plants.

(Kang, et al., 1998) develop a design method for Fuzzy Feedback Linearization; the nonlinear SISO plant is modeled as TS system; the work includes a robust stability analysis based on conicity.

3.3 Other Studies.

To complete this section, it is worth to mention some other studies. For instance, related to nonlinear control theory, the chapter of (Layne and Passino, 2000) on stability analysis; the contribution of (Lim, 1992) on absolute stability for a class of nonlinear plants; the paper of (Piegat, 1997) on hyperstability. Robust stability has been studied by (Farinwata, 2000; Farinwata and Chu, 2000), and by (Fuh and Tung, 1997; Kang and Kwon, 1997).

Several contributions of (Cao, et al., 1996a, b, 1997a, b) deals with observer + state feedback structures. (Tanaka and Sano, 1993a, b, c) study stable design in the frequency domain. (Kim, et al., 1995) treat stability and stabilization. (Kosko, 1998) study generalized additive fuzzy systems; this paper includes an interesting review.

4. STABLE FLC ALTERNATIVES

For FLC synthesis, a way to ensure stability is to employ stable control design methods. Several alternatives have been proposed for FLC. In the following a brief list of contributions is given.

PID-like FLC.

(Malki, et al., 1994): stable fuzzy PD; (Chen and Ying, 1997): the BIBO stability of nonlinear PI; (Sio and Lee, 1998): stability of fuzzy PID.

Mamdani FLC.

(Kania, et al., 1980; Langari and Tomizuka, 1990, 1993): FLC with internal dynamics. (Chen, et al., 1995) use a fuzzy relation matrix.

Takagi-Sugeno.

(Sugeno, 1999) presents an extensive survey on stable TS FLC designs.

Classic methods.

(Smith and Comer, 1992): cell state space. (Qin and Borders, 1994): multiregion. (Wang, 1994b): supervisory. (Hajjaji and Rachid, 1994): explicit formulas for FLC. (Galichet and Foulloy, 1995): synthesis and equivalences of FLC.

Adaptive.

(Wang, 1993, 1994a; Tsay, et al., 1999): stable adaptive fuzzy control. (Myung, et al., 2000): stabilization of adaptive FLC. (Lee and Vucovich, 2000): adaptive fuzzy control of nonlinear systems.

Gain-scheduling.

(Zhao, et al., 1993): fuzzy gain-scheduling of PID controllers. (Filev, 2000): gain-scheduling and TS FLC. (Rugh and Shamma, 2000) present a survey of the general topic (not only fuzzy) of gain-scheduling.

Model-based.

(Johansen, 1994; Feng, et al., 1997; Kiriakidis, 1998).

Parallel Distributed Compensation.

(Ma and Sun, 2000; Akar and Ozguner, 2000).

Sliding-mode.

One of the first contributions is (Hwang and Lin, 1992). (Suyitno, et al., 1993) show that sliding-mode FLC is superior to a sliding-mode controller + PID. (Palm, 1994) says most FLCs are similar to sliding-mode controllers, and that is the reason of their robustness. (Palm and Driankov, 1997) present a sliding-mode based stability analysis of fuzzy gain-schedulers. (Wang and Lin, 1998, 1999) use sliding-mode for tracking. (Tong, et al., 2000) propose an adaptive version, for MIMO nonlinear plants.

Feedback alternatives.

(Ma, et al., 1998): controller and observer. (Ying, 1999): feedback linearization, good discussion. (Cao, et al., 1999): fuzzy-state feedback. (Han, et al., 2000): dynamic output feedback.

Predictive systems.

(Batur and Kasparian, 1991): predictive fuzzy expert controller. (Setnes and Babuska, 2000): fuzzy modelling for predictive control.

(Skrjank and Matko, 1994, 2000; Valente de Oliveira and Lemos, 2000; Huang, et al., 2000)

Robust FLC.

(Zhao, et al. 1995): model-based TS FLC. (Jadbabaie, et al., 2000): observer-based, LMIs. (Mudi and Pal, 1999): self-tuning PID-like. (Kang, et al. 1998): TS model and feedback linearization. (Linder and Shafai, 1999) apply a TS FLC to the ACC Benchmark with good results. (Lam, et al., 2000): TS model of the nonlinear plant, FLC design based on LMIs; this paper presents an interesting review.

(Lo and Chen, 1999) use Kharitonov regions to design robust FLC. (Tanaka, et al., 1996a; Chen, et al., 1996, 1999) use H_∞ for TS FLC and nonlinear plant. (Chang, 2000) use H_∞ tracking theory and sliding-mode control for robust tracking of nonlinear MIMO systems.

Uncertain plants.

(Ying, 1994a): stable FLC for unknown model of the plant. (Teixeira and Zak, 1999): stable FLC for uncertain nonlinear plant.

Other.

(Langari, 1992, 1993; Lewis and Liu, 1994): nonlinear strategies. (Wang, 1999): automatic design of FLC.

5. MIXING OF FLC WITH GENETIC ALGORITHMS AND/OR NEURAL NETWORKS

Some additional background is needed for the next section. Let us include a succinct review of the hybridising of fuzzy logic, genetic algorithms (GA) and/or neural networks (NN).

The preferred optimization method for fuzzy logic control and modelling is the use of GA. Actually, GA can make easy the design of FLC (it can be used for automatized design). There is a lot of research on Genetic-Fuzzy combinations. (Cordon, et al., 1997) published a list of 345 research papers related to this. First contributions were made, with Mamdani FLC, by (Thrift, 1991; Karr, 1991a, b, c). One of the examples was the FLC optimization for a satellite rendezvous problem.

Fuzzy modelling of plants can be also subject to optimization. The book (Babuska, 1998) is useful to study this aspect.

An important research topic today is multiobjective optimization. Search-based methods are an usual way to attack this kind of problems (Ng, 1993). (Fonseca and Fleming, 1995, 1998a, b) present a review of evolutionary algorithms in multiobjective optimization, and develop a Pareto-based method. (Zitzler and Thiele, 1999) compare several evolutionary methods and propose a new Pareto-based method. (Obayashi, et al., 2000; Obayashi, et al., 2000) use parallel multiobjective GA for supersonic wing shape optimisation and the design of cascade airfoils. (Sefrioui and Periaux, 2000) develop a multiobjective GA based on Nash games; an example is given: the optimal design of a nozzle.

The application of multiobjective GA to FLC is studied by several papers. (Gacogne, 1997) about the Mamdani FLC. (Blumel, et al., 2000) use a multimodel approach and Mamdani FLC to design a missile autopilot.

Fuzzy systems can be made with neural networks. Neural networks are trainable, but cannot directly encode structured knowledge. Fuzzy systems do have structured knowledge. The idea is to build neuro-fuzzy systems combining both advantages: training and structure. Some important neuro-fuzzy controllers are FALCON (Fuzzy Adaptive Learning Control

Network) (see the book (Lin and Lee, 1996)). FBFN (Fuzzy Basis Function Network) (Wang and Mendel, 1992). and GARIC (Generalized Approximate Reasoning-based Intelligent Controller) (Berenji and Khedkar, 1992, 1993).

Some interesting contributions about neuro-fuzzy control are (Tanaka and Sano, 1995b) on frequency shaping of FLC using NN, (Kim, et al., 1995) on fuzzy net controllers design using GA, (French and Rogers, 1998) on I/O stability of neuro-fuzzy control, (Lin and Chung, 1999) on soft-switch of low level controllers, and (Neidhoefer and Krishnakumar, 2001) with 3 levels: NN for inverse model, GA and adaptive critics (they propose a near-autonomous aircraft).

Pertinent reference literature on these topics are the books: (Man, et al., 1999) on GA with applications, (Sanchez, et al., 1997) on GA+FLC applications, (Sutton and Barto, 1998) on reinforcement learning. In addition there are several survey papers: (Kaynak, et al., 2001) on sliding-mode control and artificial intelligence, (Kaelbling, et al., 1996) on reinforcement learning.

Concerning aerospace, the book (Dracopoulos, 1997) offer interesting pages on GA and NN applied to satellite attitude control, NN modelling of the Euler equations, inverse control reinforcement, satellite detumbling, and adaptive attitude control considering sensor noise. Likewise, (Fortuna, et al., 2001) propose a satellite attitude control with NN.

6. AEROSPACE APPLICATIONS OF FUZZY CONTROL

There are different types of control problems in aerospace. Most of them are related with regulation, path-planning and tracking. Some of the possible applications of control have been considered by FLC, others still remain open for FLC. This review will focus on three main problems: attitude control, rendezvous and re-entry.

In general, space systems and missions are complex: risks must be minimized in each part and level. Conventional bullet-proof control solutions are the favourite choice. Given a problem, advanced control techniques can be considered if they clearly offer advantages and/or conventional solutions cannot solve the problem.

The interesting facets of FLC are the following:

- Rules: good for supervisory control, gain-scheduling, sliding-mode, smooth switching, learning.
- Nonlinear action: optimization of energy/time, better transients, inverse control of nonlinear systems.
- Function approximation: modelling, adaptation, observer-based control.

6.1 Attitude Control.

There are several constituents in the problem of attitude control. There are many types of satellites, with different designs and missions. Let us take the case of a telescope: good regulation is required, but also fast attitude manoeuvres to change targets quickly. Other satellites obey to different requirements, for monitoring, communications, tracking, space exploration, etc. Attitude control is the same name for a variety of control problems.

Efforts of automatic control research, about attitude control, concentrate on energy/time optimization, gain-scheduling and adaptation for large-angle manoeuvres, linearized feedback, predictive control, sliding-mode control, robust control, nonlinear control, high-precision regulation, singularity avoidance, underactuated systems. It is interesting to note that it has been shown (Piper and Kwanty, 1992) that attitude can exhibit complicated behaviour.

The field of attitude control offer good opportunities for FLC, at least following and improving the alternatives considered by the previous research. In particular, FLC can apply optimal nonlinear control, and the hybridising with GA and NN can be useful for adaptation/learning.

Actually, the literature on FLC and aerospace offer two types of contributions on attitude control: pure FLC, and neuro-fuzzy. Examples of pure FLC are (Steyn, 1994) that designs a stable FLC for the nonlinear plant with constraints, the result is compared with an adaptive LQR, and the FLC is better; (Satyadas and Krishnakumar, 1997) that present a GA-optimized attitude FLC; (Nam and Zhang, 1997) that present a fuzzy MIMO control of a flexible spacecraft; (Chen, et al., 2000) that design a mixed H_2/H_∞ adaptive FLC, using a dynamic game approach, and study an application example.

Interesting contributions with neuro-fuzzy control are (Berenji, et al., 1994). applying GARIC to the Space Shuttle, (Schram, et al., 1994) on robust control with Fuzzy CMAC, and (van Buijtenen, et al., 1998) on adaptive TS FLC with reinforcement learning (the final limit cycle of the attitude is reduced).

6.2 Rendezvous.

The rendezvous of satellites follows a sequence of phases: homing, closing, final approach, docking and structural latching. Guidance, attitude, manoeuvres, precision are the main points of the control problems involved. In practice manual control is, at least in some moments, applied. The desire is to get a complete autonomous operation.

Research on this field began with optimization purposes. Several control and guidance strategies have been studied, such sliding-mode, range-rate nonlinear algorithm, and feedback subject to constraints.

Simple FLC solutions have been proposed by (Lea, 1988) for the proximity operations, (Krishnakumar, et al., 1995) doing a FLC synthesis via pilot modelling, and (Brown, 1997) with an improved pilot model. This is in consonance with the specific capabilities of fuzzy logic to easily capture expert knowledge.

Genetic Algorithms have been applied to optimize the FLC control of satellite rendezvous. This is one of the examples taken by the first contributions on GA and FLC (Karr, et al., 1989, 1990, 1997). Likewise, (Gopalan, et al., 1995) apply GA and FLC for autonomous rendezvous and docking; (Ortega and Giron-Sierra, 1998) consider this problem including smooth operation.

6.3 Re-entry.

Of course, re-entry refers to coming back to the Earth surface. This is the case of Space Shuttle and other vehicles. The atmosphere put important difficulties to be overcome by a careful trajectory optimization and control design (good tracking, heat and acceleration limits). Other related problem is the entry in other atmospheres (if any) when exploring planets.

The research literature on the topic covers many control alternatives. Optimization for tracking; feedback linearization; scheduling; nonlinear control with inverse dynamics. Other kinds of control approaches: adaptive, sliding-mode, predictive, robust. Some of the studies are devoted to specific cases, such the entry of X-33, or the flight of the X-38. It is worth to mention the work of (Shin, et al., 2001) with a worst-case analysis.

FLC contributions in this are the following. About atmospheric re-entry: (Bikdash, et al., 1999, 1997) propose a fuzzy guidance of the Space Shuttle using a TS FLC with an on-line optimizer. About flight control: (Fujimori, et al., 1999, 1998) design a fuzzy gain-scheduling, which is better than LQ; (Nho and Agarwal, 2000) design a FLC for aircraft landing.

Apart from the FLC applications mentioned above, there are others related to intelligent sensors, fault-diagnosis, training of operators and pilots, specific control loops, etc.

7. CONCLUSIONS:

A reason that prevents engineers to use FLC is that it is supposed stability cannot be guaranteed. Part of this paper is devoted to show that now there are methods for stability analysis and design of FLC.

It is expected more aerospace applications of FLC in the future. Mainly because the general trend to autonomous systems. The recent advent of university satellite research, may be also an opportunity to consider and apply advanced control strategies.

ACKNOWLEDGMENTS

The authors wish to thank the support of the European Space Agency: Research Project ESTEC/Contract no. 14099/99/NL/MV.

REFERENCES

- Abdelnour, G., J.Y. Cheung, C.H. Chang, and G. Tinetti (1993). Application of Describing Function in the transient response analysis of a three-term fuzzy controller, *IEEE T. Systems, Man & Cybernetics*, **v.23, n.2**, March/April, pp. 603-606.
- Akar, M. and U. Ozguner (2000). Decentralized techniques for the analysis and control of Takagi-Sugeno fuzzy systems, *IEEE T. Fuzzy Systems*, **v.8, n.6**, pp. 691-704.
- Aracil, J., A. Ollero and A. Garcia-Cerezo (1989). Stability indices for the global analysis of expert control systems, *IEEE T. Systems, Man & Cybernetics*, **v.19, n.5**, Sept/Oct., pp. 998-1007.
- Aracil, J., A. Garcia-Cerezo, A. Barreiro and A. Ollero (1993). Stability analysis of fuzzy control systems based on the conicity criterion. In: *Fuzzy logic: State of the art*, Lowen, R., (Ed.), pp 487-496. Kluwer.
- Aracil, J., F. Gordillo and T. Alamo (1997). Global stability analysis of second order fuzzy control system. In: *Advances in fuzzy control* (Palm, R., Driankov, D., Hellendorn, H., (Ed.)). Springer Verlag.
- Aracil, J. and F. Gordillo (Ed). (2000). *Stability issues in fuzzy control*, Springer-Verlag.
- Atherton, D.P. (1993). A Describing function approach for the evaluation of fuzzy logic control, *Proc. American Control Conference*, San Francisco, pp. 765-766.
- Babuska, R. (1998). *Fuzzy modelling for control*, Kluwer
- Barreiro, A. (1997). On the stabilizing conic sectors obtained using small-gain techniques, *Automatica*, **v.33**, pp. 1155-1161.
- Batur, C. and V. Kasparian (1991). Predictive fuzzy expert controllers, *Int. J. Control*, **v.54, n.4**, pp. 867-881.
- Berenji, H.R. and P.S. Khedkar (1992). Learning and tuning fuzzy logic controllers through reinforcements, *IEEE T. Neural Networks*, **v.3, n.5**, pp. 724-740.
- Berenji, H.R. and P. S. Khedkar (1993). Adaptive fuzzy control with reinforcement learning, *Proc. American Control Conference*, San Francisco, pp. 1840-1844.

- Berenji, H.R., R.N. Lea, Y. Jami, P.S. Khedkar, A. Malkani and J. Hoblit (1994). Space Shuttle attitude control by reinforcement learning and fuzzy logic, *Proc. 2nd. Intl. Conf. Fuzzy Systems*, San Francisco, pp. 1396-1401.
- Bikdash, M., A. Homaifar and K. Sartor (1997). Shuttle reentry guidance using Sugeno approximation, *Proc. IEEE Systems, Man & Cybernetics Conf.*, Orlando, pp. 1011-1016.
- Bikdash, M., K. Sartor and A. Homaifar (1999). Fuzzy guidance of the Shuttle orbiter during atmospheric reentry, *Control Engineering Practice*, **v.7**, pp.295-303.
- Birdwell, J.D. and Y. Wang (1994). Lyapunov stability analysis of systems using the fuzzy-PID controller, *Proc. American Control Conference*, Baltimore, pp. 966-970.
- Blumel, A.L., E.J. Hughes and B.A. White (2000). Fuzzy autopilot design using a multiobjective evolutionary algorithm, *Proc. IEEE Congress Evolutionary Computation*, pp. 54-61.
- Brown, R.B. (1997). Improved pilot model for space Shuttle rendezvous, *J. Guidance, Control and Dynamics*, **v.20, n.4**, pp. 833-836.
- Calcev, G. (1998). Some remarks on the stability of Mamdani fuzzy control systems, *IEEE T. Fuzzy Systems*, **v.6, n.3**, August, pp. 436-442.
- Calcev, G., R. Gorez and M. De Neyer (1998). Passivity approach to fuzzy control systems, *Automatica*, **v.4, n. 3**, pp. 339-344.
- Cao, S.G., N.W. Rees and G. Feng (1996a). Quadratic stability analysis and design of continuous-time fuzzy control systems, *Int. J. Syst. Sci.*, **v.27, n.2**, pp.193-203.
- Cao, S.G., N.W. Rees and G. Feng (1996b). Stability analysis of fuzzy control systems, *IEEE T. Systems, Man & Cybernetics*, part B, **v.26, n.1**, pp. 201-204.
- Cao, S.G., N.W. Rees and G. Feng (1997a). Analysis and design for a class of complex control systems - Part I: Fuzzy modelling and identification, *Automatica*, **v.33, n.6**, pp. 1017-1028.
- Cao, S.G., N.W. Rees and G. Feng (1997b). Analysis and design for a class of complex control systems - Part II: Fuzzy controller design, *Automatica*, **v.33, n.6**, pp. 1017-1028.
- Cao, S.G., N.W. Rees and G. Feng (1999). Analysis and design of fuzzy control systems using dynamic fuzzy-state space models, *IEEE T. Fuzzy Systems*, **v.7, n.2**, pp. 192-200.
- Castro, J.L. (1995). Fuzzy logic controllers are universal approximators, *IEEE T. Systems, Man & Cybernetics*, **v.25, n.4**, April, pp. 629-635.
- Chang, Y.C. (2000). Robust tracking control for nonlinear MIMO systems via fuzzy approaches, *Automatica*, **v.36**, pp. 1535-1545.
- Chen, B.S., C.H. Lee and Y.C. Chang (1996). H_{∞} tracking design of uncertain nonlinear SISO systems: Adaptive fuzzy approach, *IEEE T. Fuzzy Systems*, **v.4**, pp. 32-43.
- Chen, B.S., C.S. Tseng and H.J. Uang (1999). Robustness design of nonlinear dynamic systems via fuzzy linear control, *IEEE T. Fuzzy Systems*, **v.7, n.5**, October, pp. 571-585.
- Chen, B.S., C.S. Wu and Y.W. Jan (2000). Adaptive fuzzy mixed H_2/H_{∞} attitude control of spacecraft, *IEEE T. Aerospace and Electronic Systems*, **v.36, n.4**, pp. 1343-1348.
- Chen, G.R. and H. Ying (1997). BIBO stability of nonlinear fuzzy PI control systems, *J. Intell. Fuzzy Systems*, **v.5**, pp. 245-256.
- Chen, J.Q., J.H. Lu and L.J. Chen (1995). Analysis and synthesis of fuzzy closed-loop control systems, *IEEE T. Systems, Man & Cybernetics*, **v.25, n.5**, May, pp. 881-888.
- Choi, B.J., S.W. Kwak and B.K. Kim (2000). Design and stability analysis of single-input fuzzy logic controller, *IEEE T. Systems, Man & Cybernetics*, **v.30, n.2**, part B, April, pp. 303-309.
- Cordon, O., F. Herrera and M. Lozano (1997). A classified review on the combination fuzzy logic-genetic algorithms bibliography: 1989-1995. In: *Genetic algorithms and fuzzy logic systems* (Sanchez, E., Shibata, T., Zadeh, L.A., (Ed.)), pp. 209-240. World Scientific.
- Cuesta, F., F. Gordillo, J. Aracil and A. Ollero (1999). Stability analysis of nonlinear multivariable Takagi-Sugeno fuzzy control systems, *IEEE T. Fuzzy Systems*, **v.7, n.5**, October, pp. 508-519.
- Dracopoulos, D.C. (1997). *Evolutionary learning algorithms for neural adaptive control*, Springer-Verlag.
- Espada, A. and A. Barreiro (1994). Robust design of fuzzy controllers based on small gain conditions, *Proc. IFAC Symp. AIRTCi94*, Valencia, pp. 67-72.
- Espada, A. and A. Barreiro (1999). Robust stability of fuzzy control systems based on conicity conditions, *Automatica*, **v.35**, pp. 643-654.
- Farinwata, S.S. (2000). An approach to the analysis of robust stability of fuzzy control systems. . In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 165-201 . John Wiley.
- Farinwata, S.S. and S.L. Chiu (2000). Fuzzy control systems stability analysis with application to aircraft systems. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 203-235 . John Wiley.
- Farinwata, S.S., D. Filev and R. Langari (Ed) (2000). *Fuzzy control: Synthesis and analysis*, John Wiley.
- Feng, G., S.G. Cao, N.W. Rees and C.M. Cheng (1997). Analysis and design of model based fuzzy control, *Proc. FUZZ-IEEE'97*, Barcelona, pp. 901-906.
- Filev, D.P. (2000). Gain scheduling based control of a class of TSK systems. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 321-334. John Wiley.
- Fonseca, C.M. and P.J. Fleming (1995). An overview of evolutionary algorithms in multiobjective optimization, *Evolutionary Computation*, **v.3, n.1**, pp. 1-16.
- Fonseca, C.M. and P.J. Fleming (1998a). Multiobjective optimization and multiple constraint handling with evolutionary algorithms - Part I: A unified formulation, *IEEE T. Systems, Man & Cybernetics*, part A, **v.28, n.1**, pp. 26-37.

- Fonseca, C.M. and P.J. Fleming (1998b). Multiobjective optimization and multiple constraint handling with evolutionary algorithms - Part II: Application example, *IEEE T. Systems, Man & Cybernetics*, part A, **v.28, n.1**, pp. 38-47.
- Fortuna, L., G. Muscato and M.G. Xibilia (2001). A comparison between HMLP and HRBF for attitude control, *IEEE T. Neural Networks*, **v.12, n.2**, pp. 318-328.
- French, M. and E. Rogers (1998). Input/output stability theory for direct neuro-fuzzy controllers, *IEEE T. Fuzzy Systems*, **v.6, n.3**, August, pp. 331-345.
- Fuh, C.C. and P.C. Tung (1997). Robust stability analysis of fuzzy control systems, *Fuzzy Sets and Systems*, **v.88**, pp. 289-298.
- Fujimori, A., H. Tsunemoto and Z.Y. Wu (1998). Gain-scheduled control using fuzzy logic and its application to flight control, *J. Guidance, Control and Dynamics*, **v.22, n.1**, pp. 175-177.
- Fujimori, A. and P.N. Nikiforuk (1999). Fuzzy gain-scheduling control and its application to flight control, *Proc. IFAC World Congress*, Beijing, **v.P**, pp. 283-288.
- Gacogne, L. (1997). Research of Pareto set by genetic algorithm, application to multicriteria optimization of fuzzy controller, *Proc. EUFIT'97*, pp. 837-845.
- Galichet, S. and L. Foulloy (1995). Fuzzy controllers: synthesis and equivalences, *IEEE T. Fuzzy Systems*, **v.3, n.2**, May, pp. 140-148.
- Gopalan, V., A. Homaifar, M.R. Salami, B. Sayyarodsari and R.W. Dabney (1995). Fuzzy genetic controllers for the autonomous rendezvous and docking problem, *Proc. ACM Symp. Applied Computing*, pp. 532-536.
- Gordillo, F., J. Aracil and T. Alamo (1997). Determining Limit cycles in fuzzy control systems, *Proc. FUZZ-IEEE'97*, Barcelona, pp. 193-198.
- Gordillo, F., J. Aracil and A. Ollero (1998). Frequency domain analysis of multivariable fuzzy systems. In: *Application of multivariable system techniques* (Whalley, R., and Ebrahimi, M., (Ed.)), pp. 243-252. Bradford.
- Gorez, R. and G. Calcev (2000). Passivity and stability of fuzzy control systems. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 113-144. John Wiley.
- Hajjaji, A.E. and A. Rachid (1994). Explicit formulas for fuzzy controller, *Fuzzy Sets and Systems*, **v.62**, pp. 135-141.
- Han, Z.X., G. Feng, B.L. Walcott and J. Ma (2000). Dynamic output feedback controller design for fuzzy systems, *IEEE T. Systems, Man & Cybernetics*, part B, **v.30, n.1**, pp. 204-210.
- Huang, Y.L., H.H. Lou, J.P. Gong and T.F. Edgar (2000). Fuzzy model predictive control, *IEEE T. Fuzzy Systems*, **v.8, n.6**, pp. 665-678.
- Hwang, G.C. and S.C. Lin (1992). A Stability approach to fuzzy control design for nonlinear systems, *Fuzzy Sets and Systems*, **v.48**, pp.279-287.
- Jadbabaie, A., Ch. T. Abdallah, M. Jamshidi and A. Titli (2000). Observer-based controller synthesis for model-based fuzzy systems via linear matrix inequalities. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 239-252. John Wiley.
- Joh, J., Y.H. Chen and R. Langari (1998). On the stability issues of linear Takagi-Sugeno fuzzy models, *IEEE T. Fuzzy Systems*, **v.6, n.3**, August, pp. 402-410.
- Joh, J. and R. Langari (2000). A Framework for the synthesis of PDC-type Takagi-Sugeno fuzzy control systems: An LMI Approach. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 267-282. John Wiley.
- Johansen, T.A. (1994). Fuzzy model based control: Stability, robustness, and performance issues, *IEEE T. Fuzzy Systems*, **v.2**, pp. 221-234.
- Johansson, M., A. Rantzer and K.E. Arzen (1998). Piecewise quadratic stability of affine Sugeno systems, *Proc. FUZZ-IEEE'98*, Anchorage, pp. 55-60.
- Johansson, M., A. Rantzer and K.E. Arzen (1999). Piecewise quadratic stability of fuzzy systems, *IEEE T. Fuzzy Systems*, **v.7, n.6**, December, pp. 713-722.
- Kaelbling, L.P., M.L. Littman and A.W. Moore (1996). Reinforcement learning: A Survey, *J. Artificial Intelligence Research*, **v.4**, pp. 237-285.
- Kang, H.J., and Ch. Kwon (1997). L_∞ robust stability analysis for the fuzzy feedback linearization regulator, *Proc. FUZZ-IEEE'97*, **v.1**, pp. 277-280.
- Kang, H.J., Ch. Kwon, H. Lee and M. Park (1998). Robust stability analysis and design method for the fuzzy feedback linearization regulator, *IEEE T. Fuzzy Systems*, **v.6, n.4**, November, pp.464-472.
- Kania, A.A., J.B. Kiszka, M.B. Gorzalczany, J.R. Maj and M.S. Stachowicz (1980). On Stability of formal fuzzy systems, *Inform. Sci.*, **v.22**, pp. 51-68.
- Karr, C.L., L.M. Freeman and D.L. Meredith (1989). Improved fuzzy process control of spacecraft autonomous rendezvous using a genetic algorithm, *Proc. SPIE Conf. Intelligent Control and Adaptive Systems*, pp. 274-288.
- Karr, C.L., L.M. Freeman and D.L. Meredith (1990). Genetic algorithms based fuzzy control of spacecraft autonomous rendezvous, *5th. Conf. Artificial Intelligence for Space Applications*, NASA, pp. 43-51.
- Karr, C.L. (1991a). Genetic algorithms for a fuzzy controller, learning from examples, *AI Expert*, **v.6, n.2**, pp. 26-33.
- Karr, C.L. (1991b). Applying genetics to fuzzy logic, *AI Expert*, **v.6, n.3**, pp. 38-43.
- Karr, C.L. (1991c). Design of an adaptive fuzzy logic controller using a genetic algorithm, *Proc. Fourth Intl. Conf. Genetic Algorithms*, pp. 450-457.
- Karr, C.L. and L.M. Freeman (1997). Genetic-algorithm-based fuzzy control of spacecraft autonomous rendezvous, *Engineering Applications of Artificial Intelligence*, **v.10, n.3**, pp. 293-300.

- Katoh, R. et al. (1993). Graphical stability analysis of a fuzzy control system, *Proc. IEEE IECON'93*, v.1, pp. 248-253.
- Kawamoto, S., K. Tada, A. Ishigame and T. Taniguchi (1992). An approach to stability analysis of second order fuzzy systems, *Proc. FUZZ- IEEE'92*, San Diego, pp. 1427-1434.
- Kaynak, O., K. Erbaturoglu and M. Ertugrul (2001). The fusion of computationally intelligent methodologies and sliding-mode control - A survey, *IEEE T. Industrial Electronics*, v.48, n.1, pp. 4-17.
- Kickert, W.J.M. and E.H. Mamdani (1978). Analysis of a fuzzy logic controller, *Fuzzy Sets and Systems*, v.1, pp. 29-44.
- Kim, E., H. Lee and M. Park (2000). Limit-cycle prediction of a fuzzy control system based on Describing Function method, *IEEE T. Fuzzy Systems*, v.8, n.1, February, pp. 11-22.
- Kim, J. Y. Moon and B.P. Zeigler (1995). Designing fuzzy net controllers using genetic algorithms, *IEEE Control Systems Mgz.*, v.15, n.3, pp. 66-72.
- Kim, W.C., S.C. Ahn and W.H. Kwon (1995). Stability analysis and stabilization of fuzzy state models, *Fuzzy Sets and Systems*, v. 71, n.1, pp. 131-142.
- Kiriakidis, K. (1998). Fuzzy model-based control of complex plants, *IEEE T. Fuzzy Systems*, v.6, n.4, pp. 517-529.
- Kiszka, J.B., M.M. Gupta and P.N. Nikiforuk (1985). Energetic Stability of fuzzy dynamic system, *IEEE T. Systems, Man & Cybernetics*, v.15, n.6, Nov/Dec., pp. 783-792.
- Kitamura, S. and T. Kurozumi (1991). Extended circle criterion and stability analysis of fuzzy control systems, *Proc. Intl. Fuzzy Eng. Symp.* 91, v.2, pp. 634-643.
- Kosko, B. (1998). Global stability of generalized additive fuzzy systems, *IEEE T. Systems, Man & Cybernetics*, part C, v.28, n.3, pp. 441- 452.
- Krishnakumar, K., P. Gonsalves, A. Satyadas and G. Zacharias (1995). Hybrid fuzzy logic controller synthesis via pilot modelling, *J. Guidance, Control and Dynamics*, v.18, n.4, pp. 1098-1105.
- Lam, H.K., H.F. Leung and P.K.S. Tam (1997). Stable and robust fuzzy control for uncertain nonlinear systems based on grid-point approach, *Proc. FUZZ-IEEE'97*, v.1, pp. 281-285.
- Langari, R. and M. Tomizuka (1990). Stability of fuzzy linguistic control systems, *Proc. IEEE Conf. Decision and Control*, pp. 2185-2190.
- Langari, R. (1992). A Nonlinear Formulation of a class of fuzzy linguistic control algorithms, *Proc. American Control Conference*, Chicago.
- Langari, R. (1993). Synthesis of nonlinear control strategies via fuzzy logic, *Proc. American Control Conference*, San Francisco, pp. 1855- 1859.
- Langari, R. and M. Tomizuka (1993). Analysis of stability of a class of fuzzy linguistic controllers with internal dynamics, *Proc. ASME*.
- Layne, J.R. and K.M. Passino (2000). Lyapunov stability analysis of fuzzy dynamic systems. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 96-111. John Wiley.
- Lea, R. (1988). Automated space vehicle control for rendezvous proximity operations, *Telematics and Informatics*, v.5, n.3, pp. 179-185.
- Lee, J.X. and G. Vukovich (2000). On adaptive fuzzy logic control of non-linear systems - Synthesis and analysis. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 283-308. John Wiley.
- Leephakpreeda, T. and C. Batur (1994). Stability analysis of fuzzy controllers, *Dynamic Systems and Controls*, v.1, pp.349-415.
- Leephakpreeda, T. (1999). H_∞ stability robustness of fuzzy control systems, *Automatica*, v.35, pp. 1467-1470.
- Lewis, F.L. and K. Liu (1994). Towards a paradigm for fuzzy logic control, *Automatica*, v.32, pp. 167-181.
- Lim, J.T. (1992). Absolute stability of a class of nonlinear plants with fuzzy logic controllers, *Electron. Lett.*, v.28, pp. 1968-1970.
- Lin, C.T. and C.S.G. Lee (1996). *Neural fuzzy systems*, Prentice-Hall.
- Lin, C.T. and I.F. Chung (1999). A Reinforcement neuro-fuzzy combiner for multiobjective control, *IEEE T. Systems, Man & Cybernetics*, part B, v.29, n.6, pp. 726-744.
- Linder, S.P. and B. Shafai (1999). Qualitative robust fuzzy control with applications to 1992 ACC Benchmark, *IEEE T. Fuzzy Systems*, v.7, n.4, pp. 409-421.
- Lo, J.Ch. and Y.M. Chen (1999). Stability issues on Takagi-Sugeno fuzzy model - Parametric approach, *IEEE T. Fuzzy Systems*, v.7, n.5, October, pp. 597-607.
- Ma, X.J., Z.Q. Sun and Y.Y. He (1998). Analysis and design of fuzzy controller and fuzzy observer, *IEEE T. Fuzzy Systems*, v.6, pp. 41-51.
- Ma, X.J. and Z.Q. Sun (2000). Output tracking and regulation of nonlinear system based on Takagi-Sugeno fuzzy model, *IEEE T. Systems, Man & Cybernetics*, part B, v.30, n.1, pp. 47-59.
- Malki, H.A., H.D. Li and G. Chen (1994). New design and stability analysis of fuzzy PD controllers, *IEEE T. Fuzzy Systems*, v.2, pp. 245-254.
- Mamdani, E.H. (1974). Applications of fuzzy algorithms for simple dynamic plants, *Proc. IEE*, v.121, pp. 1585-1588.
- Man, K.F., K.S. Tang and S. Kwong (1999). *Genetic algorithms*, Springer Verlag.
- Melin, C. (1995). Stability analysis of fuzzy control systems: Some frequency criteria, *Proc. 3rd. European Control Conference*, Rome, pp. 815-819.
- Mudi, R.K. and N.R. Pal (1999). A robust self-tuning scheme for PI and PD type fuzzy controllers, *IEEE T. Fuzzy Systems*, v.7, n.1, pp. 2-16.

- Myung, H.Ch., Z.Z. Bien and Y.T. Kim (2000). Stabilization of direct adaptive fuzzy control systems: Two approaches. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 309-320. John Wiley.
- Nam, S.K. and R.W. Zhang (1997). Fuzzy multi-variable control for attitude stabilization of flexible spacecraft, *Proc. IEEE Intl. Conf. Intelligent Processing Systems*, Beijing, pp. 257-261.
- Neidhoeffer, J.C. and K. Krishnakumar (2001). Intelligent control for near-autonomous aircraft missions, *IEEE T. Systems, Man & Cybernetics*, part A, **v.31**, **n.1**, pp. 14-29.
- Ng, W.Y. (1993). Perspectives on search-based computer-aided control system design, *IEEE Control Systems Mgz.*, **v.13**, **n.2**, pp. 65-72.
- Nho, K. and R.K. Agarwal (2000). Automatic landing system design using fuzzy logic, *J. Guidance, Control and Dynamics*, **v.23**, **n.2**, pp.298-304.
- Obayashi, S., D. Sasaki, Y. Takeguchi and N. Hirose (2000). Multiobjective evolutionary computation for supersonic wing-shape optimization, *IEEE T. Evolutionary Computation*, **v.4**, **n.2**, pp. 182-187.
- Obayashi, S., T. Tsukahara and T. Nakamura (2000). Multiobjective Genetic algorithm applied to aerodynamic design of cascade airfoils, *IEEE T. Industrial Electronics*, **v.47**, **n.1**, pp. 211-216.
- Ollero, A., J. Aracil and F. Gordillo (1998). Stability analysis of MIMO fuzzy control systems in the frequency domain, *Proc. FUZZ-IEEE'98*, Anchorage, pp. 49-54.
- Ollero, A., F. Gordillo and J. Aracil (2000). Frequency domain analysis of MIMO fuzzy control systems. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 145-152. John Wiley.
- Ortega, G. and J.M. Giron-Sierra (1998). Geno-fuzzy control in autonomous servicing of a space station, *Engineering Applications of Artificial Intelligence*, **v.11**, pp. 383-400.
- Palm, R. (1994). Robust control by fuzzy sliding mode, *Automatica*, **v.30**, **n.9**, pp. 1429-1437.
- Palm, R. and D. Driankov (1997). Stability of fuzzy gain-schedulers: Sliding mode based analysis, *Proc. FUZZ-IEEE'97*, Barcelona, pp.177-183.
- Palm, R., D. Driankov and H. Hellendoorn (1997). *Model based fuzzy control*, Springer-Verlag.
- Passino, K.M. and S. Yurkovich (1999). *Fuzzy control*, Addison-Wesley.
- Piegat, A. (1997). Hyperstability of fuzzy-control systems and degrees of freedom, *Proc. EUFIT'97*, pp. 1446-1450.
- Piper, G.E. and H.G. Kwanty (1992). Complicated dynamics in spacecraft attitude control systems, *J. Guidance, Control and Dynamics*, **v.15**, **n.4**, pp. 825-831.
- Qin, S.J. and G. Borders (1994). A multiregion fuzzy logic controller for nonlinear process control, *IEEE T. Fuzzy Systems*, **v.2**, **n.1**, pp. 74-81.
- Ray, K.S., A.M. Ghosh and D.D. Majumder (1984). L2-Stability and the related design concept for SISO linear system associated with fuzzy logic controller, *IEEE T. Systems, Man & Cybernetics*, **v. 14**, **n.6**, pp. 932-939.
- Ray, K.S. and D.D. Majumder (1984). Application of circle criteria for stability analysis of linear SISO and MIMO systems associated with fuzzy logic controller, *IEEE T. Systems, Man & Cybernetics*, **v. 14**, **n.2**, pp. 345- 349.
- Rugh, W.J. and J.S. Shamma (2000). Research on gain-scheduling, *Automatica*, **v.36**, pp. 1401-1425.
- Sanchez, E., T. Shibata and L.A. Zadeh (Eds.). (1997). *Genetic algorithms and fuzzy logic systems*, World Scientific.
- Satyadas, A. and K. Krishnakumar (1994). GA-optimized fuzzy controller for spacecraft attitude control, *Proc. FUZZ-IEEE'94*, pp. 1979-1984.
- Schram, G., L. Karsten, B.J.A. Krose and F.C.A. Groen (1994). Optimal attitude control of satellites by artificial neural networks: A pilot study, *Proc. IFAC AIRTC'94*, Valencia, pp. 185-190.
- Sefrioui, M. and J. Periaux (2000). Nash genetic algorithms: Examples and applications, *Proc. IEEE Congress Evolutionary Computation*, pp. 509- 516.
- Setnes, M. and R. Babuska (2000). Fuzzy modelling for predictive control. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 23-46. John Wiley.
- Shin, J.Y., G.J. Balas and A.K. Packard (2001). Worst-case analysis of the X-38 crew return vehicle flight control system, *J. Guidance, Control and Dynamics*, **v.24**, **n.2**, pp. 261-269.
- Sio, K.C. and C.K. Lee (1998). Stability of fuzzy PID controllers, *IEEE T. Systems, Man & Cybernetics*, part A, **v.28**, **n.4**, pp. 490-495.
- Skrjanc, I. and D. Matko (1994). Fuzzy predictive controller with adaptive gain. In: *Advances in model-based predictive control* (Clarke, D. (Ed.)), pp. 370-385. Oxford University Press.
- Skrjanc, I. and D. Matko (2000). Predictive functional control based on fuzzy model for heat-exchanger pilot plant, *IEEE T. Fuzzy Systems*, **v.8**, **n.6**, pp. 705-712.
- Smith, S.M. and D.J. Comer (1992). Self-tuning of a fuzzy logic controller using a cell state space algorithm, *Proc. FUZZ-IEEE'92*, San Diego, pp. 615-622.
- Steyn, W.H. (1994). Fuzzy control for a non-linear MIMO plant subject to control constraints, *IEEE T. Systems, Man & Cybernetics*, **v.24**, **n.10**, pp. 1565-1571.
- Sugeno, M. (1999). On stability of fuzzy systems expressed by fuzzy rules with singleton consequents, *IEEE T. Fuzzy Systems*, **v.7**, **n.2**, pp. 201-224.
- Sutton, R.S and A.G. Barto (1998). *Reinforcement learning: An introduction*, MIT Press.
- Suyitno, A., J. Fukijawa, H. Kobayashi and Y. Dote (1993). Variable- structured robust controller by fuzzy logic for servomotors, *IEEE T. Industrial Electronics*, **v. 40**, **n.1**, pp. 80-87.

- Takagi, T. and M. Sugeno (1985). Fuzzy identification of systems and its applications to modelling and control, *IEEE T. Systems, Man & Cybernetics*, **v.15**, pp. 116-132.
- Tanaka, K. and M. Sugeno (1992). Stability analysis and design of fuzzy control systems, *Fuzzy Sets and Systems*, **v.45**, pp.135-156.
- Tanaka, K. and M. Sano (1993a). Fuzzy stability criterion of a class of nonlinear systems, *Inform. Sci.*, **v.71**, pp.3-26.
- Tanaka, K. and M. Sano (1993b). Design of fuzzy controller based on frequency and transient characteristics, *Proc. FUZZ-IEEE'93*, **v.1**, pp. 111-116.
- Tanaka, K. and M. Sano (1993c). Analysis and design of fuzzy controllers in frequency domain, *Proc. IEEE IECON'93*, **v.1**, pp. 236-241.
- Tanaka, K. (1995). Stability and stabilizability of fuzzy-neural-linear control systems, *IEEE T. Fuzzy Systems*, **v.3, n.4**, November, pp. 438-447.
- Tanaka, K. and M. Sano (1995b). Frequency shaping for fuzzy control systems with unknown nonlinear plants by a learning method of neural networks, *Fuzzy Sets and Systems*, **v.71**, pp. 71-84.
- Tanaka, K., T. Ikeda and H.O. Wang (1996a). Robust stabilization of a class of uncertain nonlinear systems via fuzzy control: Quadratic stabilizability, H_∞ control theory, and linear matrix inequalities, *IEEE T. Fuzzy Systems*, **v.4, n.1**, February, pp.1-13.
- Tanaka, K., T. Ikeda and H.O. Wang (1996b). Design of fuzzy control systems based on relaxed LMI stability condition, *Proc. IEEE Conf. Decision and Control*, **v.1**, pp. 598-603.
- Tanaka, K., T. Ikeda and H.O. Wang (1997). An LMI approach to fuzzy controller designs based on relaxed stability conditions, *Proc. FUZZ- IEEE'97*, **v.1**, pp. 171-176.
- Tanaka, K. and T. Ikeda (1998). Absolute stability conditions in a fuzzy phase-lead compensation and their extension to MIMO systems, *IEEE T. Industrial Electronics*, **v.45, n.2**, April, pp. 333-340.
- Tanaka, K., T. Ikeda and H.O. Wang (1998a). Fuzzy regulators and fuzzy observers: Relaxed stability conditions and LMI-Based designs, *IEEE T. Fuzzy Systems*, **v.6, n.2**, May, pp. 250-265.
- Tanaka, K., T. Taniguchi and H.O. Wang (1998b). Model-based fuzzy control of TORA system: Fuzzy regulator and fuzzy observer design via LMI that represent decay rate, disturbance rejection, robustness, optimality, *Proc. FUZZ-IEEE'98*, pp. 313-318.
- Tanaka, K., T. Taniguchi and H.O. Wang (1998c). Fuzzy control based on quadratic performance function, *Proc. IEEE Conf. Decision and Control*, Tampa, pp. 2914-2919.
- Tanaka, K. and H.O. Wang (2000). LMI-based Fuzzy control: Fuzzy regulator and fuzzy observer design via LMIs. In: *Fuzzy control. Synthesis and analysis* (Farinwata, S.S., Filev, D., and Langari, R., (Ed.)), pp. 253-265. John Wiley.
- Teixeira, M.C.M. and S.H. Zak (1999). Stabilizing controller design for uncertain nonlinear systems using fuzzy models, *IEEE T. Fuzzy Systems*, **v.7, n.2**, pp. 133-142.
- Thrift, P. (1991). Fuzzy logic synthesis with genetic algorithms, *Proc. Fourth Intl. Conf. Genetic Algorithms*, pp. 509-513.
- Tong, S., J. Tang and T. Wang (2000). Fuzzy adaptive control of multivariable nonlinear systems, *Fuzzy Sets and Systems*, **v. 111**, pp. 153- 167.
- Tsay, D.L., H.Y. Chung and C.J. Lee (1999). The adaptive control of nonlinear systems using the Sugeno-type of fuzzy logic, *IEEE T. Fuzzy Systems*, **v.7, n.2**, pp. 225-229.
- Valente de Oliveira, J. and J.M. Lemos (2000). A Comparison of some adaptive-predictive fuzzy-control strategies, *IEEE T. Systems, Man & Cybernetics*, part C, **v.30, n.1**, pp. 138-145.
- van Buijtenen, W.M., G. Schram, R. Babuska and H.B. Verbruggen (1998). Adaptive fuzzy control of satellite attitude by reinforcement learning, *IEEE T. Fuzzy Systems*, **v.6, n.2**, pp.185-194.
- Wang, H.O., K. Tanaka and M.F. Griffin (1995). Parallel distributed compensation of nonlinear systems by Takagi and Sugeno's fuzzy model, *Proc. FUZZ-IEEE'95*, pp. 531-538.
- Wang, H.O., K. Tanaka and M.F. Griffin (1996). An approach to fuzzy control of nonlinear systems: Stability and design issues, *IEEE T. Fuzzy Systems*, **v.4, n.1**, February, pp. 14-23.
- Wang, H.O. and K. Tanaka (1996). An LMI-based stable fuzzy control of nonlinear systems and its application to control of chaos, *Proc. FUZZ-IEEE'96*, **v.2**, pp. 1433-1438.
- Wang, L.X. and J.M. Mendel (1992). Fuzzy basis functions, universal approximation, and orthogonal least-squares learning, *IEEE T. Neural Networks*, **v.3, n.5**, pp. 807-814.
- Wang, L.X. (1993). Stable adaptive fuzzy control of nonlinear systems, *IEEE T. Fuzzy Systems*, **v.1**, pp. 146-155.
- Wang, L.X. (1994a). *Adaptive fuzzy systems and control - Design and stability analysis*, Prentice-Hall.
- Wang, L.X. (1994b). A supervisory controller for fuzzy control systems that guarantees stability, *Proc. FUZZ-IEEE'94*, pp. 1035-1039.
- Wang, L.X. (1999). Automatic design of fuzzy controllers, *Automatica*, **v.35**, pp. 1471-1475.
- Wang, P.Z., H.M. Zhang and W. Xu (1990). Pad-analysis of fuzzy control stability, *Fuzzy Sets and Systems*, **v.38**, pp. 27-42.
- Wang, W.J. and H.R. Lin (1998). Fuzzy control design for the trajectory tracking in phase plane, *IEEE T. Systems, Man & Cybernetics*, part A, **v.28, n.5**, pp. 710-719.
- Wang, W.J. and H.R. Lin (1999). Fuzzy control design for the trajectory tracking on uncertain nonlinear systems, *IEEE T. Fuzzy Systems*, **v.7, n.1**, pp. 53-62.

- Wong, L.K., F.H.F. Leung and P.K.S. Tam (1997). Lyapunov function based design of heuristic fuzzy logic controllers, *Proc. FUZZ-IEEE'97*, Barcelona, **v.3**, pp. 281-285.
- Wong, L.K., F.H.F. Leung and P.K.S. Tam (1998). Lyapunov-function-based design of fuzzy logic controllers and its application on combining controllers, *IEEE T. Industrial Electronics*, **v.45**, **n.3**, June, pp. 502-509.
- Wu, S.J. and Ch. T. Lin (2000). Optimal fuzzy controller design: Local concept approach, *IEEE T. Fuzzy Systems*, **v.8**, **n.2**, April, pp. 171-185.
- Xu, J-X, Liu, C. and C.C. Hang (1996). Designing a stable fuzzy PI control system using extended circle criterion, *Int. J. Intel. Control Systems*, **v.1**, **n.3**, pp. 355-366.
- Ying, H. (1993). A fuzzy controller with linear control rules is the sum of a global two-dimensional multilevel relay and a local nonlinear proportional-integral controller, *Automatica*, **v.29**, pp. 499-505.
- Ying, H. (1994a). Practical design of nonlinear fuzzy controllers with stability analysis for regulating processes with unknown mathematical models, *Automatica*, **v.30**, pp. 1185-1195.
- Ying, H. (1994b). Analytical structure of a two-input two-output fuzzy controller and its relation to PI and multilevel relay controllers, *Fuzzy Sets and Systems*, **v.63**, pp. 21-33.
- Ying, H. (1998). An analytical study of structure, stability and design of general nonlinear Takagi-Sugeno fuzzy control systems, *Automatica*, **v.34**, **n.12**, pp. 1617-1623.
- Ying, H. (1999). Analytical analysis and feedback linearization tracking control of the general Takagi-Sugeno fuzzy dynamic systems, *IEEE T. Systems, Man & Cybernetics*, part C, **v.29**, **n.2**, pp. 290-298.
- Ying, H. (2000). Analytical study of structure of a Mamdani fuzzy controller with three input variables, in *Fuzzy control. Synthesis and analysis*, Farinwata, S.S., Filev, D., and Langari, R., (Eds.). John Wiley, pp. 153-164.
- Zeng, K., N.Y. Zhang and W.L. Xu (2000). A comparative study on sufficient conditions for Takagi-Sugeno fuzzy systems as universal approximators, *IEEE T. Fuzzy Systems*, **v.8**, **n.6**, pp. 773-780.
- Zhao, J. V. Wertz and R. Gorez (1995). Linear T-S fuzzy model based robust stabilizing controller design, *Proc. IEEE Conf. Decision and Control*, New Orleans, pp. 255-260.
- Zhao, Z.Y., M. Tomizyoshi and S. Isaka (1993). Fuzzy gain scheduling of PID controllers, *IEEE T. System, Man & Cybernetics*, **v.23**, p. 1392-1398.
- Zitzler, E. and L. Thiele (1999). Multiobjective evolutionary algorithms: A comparative case study and the strength Pareto approach, *IEEE T. Evolutionary Computation*, **v.3**, **n.4**, pp. 257-271.